

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 29.01.2023

Version number 8 (replaces version 7)

Revision: 29.01.2023

Page 1/9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: 1M LiPF6 in DMC:EC 1:1 (vol.)

Article number: E001

1.2 Relevant identified uses of the substance or mixture and uses advised against No other important information available.

- Sector of Use SU24 Scientific research and development

- Product category PC21 Laboratory chemicals Application of the substance / the mixture This product is intended for the exclusive use of Research and Development.

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Solvionic SA 11 chemin des Silos 31100 TOULOUSE FRANCE

@:+33(0).32.26.20.20 ⊠: contact@solvionic.com

Further information obtainable from: Department of Regulatory affairs

1.4 Emergency telephone number:

- United Kingdom: Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust, +44 20 7188 7188.

- Ireland: National Poisons Information Centre Beaumont Hospital, +353 1 809 2566 (Healthcare professionals24/7), +353 1 809 2166 (public, 8am - 10pm, 7/7).

- France ORFILA (INRS): +33 (0)1.45.42.59.59.

- Belgique, Belgie/Belgium: Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid

Rue Bruyn 1 - 1120 Bruxelles/Brussel. Toutes les questions urgentes concernant une intoxication: 070 245 245 (gratuit, 24/7), si pas accessible 02 264 96 30 (tarif normal). Alle dringende vragen over vergiftigingen: 070 245 245 (gratis, 24/7), of indien onbereikbaar tel. 02 264 96 30 (normaal tarief).

- Sverige/ Sweden: GiftinformationscentralenBox 60 500 : 112 - begär Giftinformation ,+46 10 456 6700 (Från utlandet)

- Ελλάδα / Greece: Poisons Information Centre Children's Hospital P&A Kyriakou, +30 21 07 79 37 77.

- Italia/Italy: Centro Antiveleni di Roma CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica Universita Cattolica del Sacro Cuore, +39 06 305 4343.

- España/ Spain: Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Madrid, +34 91 562 04 20 (solo emergencias toxicológicas), Información en español (24h/365 días).

- Nederland/ Netherlands (NVIC): Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen, +31 (0)88 755 8000

- Norge/ Norway: Giftinformasjonen: +47 22 59 13 00.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flam. Liq. 3 H226 Flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

- Skin Corr. 1B H314
- Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage

> H372-H373 Causes damage to the bones and the teeth through prolonged or repeated exposure. May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral.

2.2 Label elements

STOT RE 1

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.





Signal word Danger Hazard-determining components of labelling: ethylene carbonate Lithium hexafluorophosphate

Hazard statements H226 Flammable liquid and vapour.

(Contd. on page 2)

UF

Version number 8 (replaces version 7)

Revision: 29.01.2023

Trade name: 1M LiPF6 in DMC:EC 1:1 (vol.)

(Contd. of page 1)

- H302 Harmful if swallowed.
- Causes severe skin burns and eye damage. H314

H372-H373 Causes damage to the bones and the teeth through prolonged or repeated exposure. May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor. P310

P403+P235 Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations.

P501

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

- Description:

Mixture of substances listed below with nonhazardous additions. Mixture: consisting of the following components.

- Dangerous components:		
CAS: 96-49-1	ethylene carbonate	>40–≤60%
EINECS: 202-510-0	STOT RE 2, H373; Acute Tox. 4, H302; Eye Irrit. 2, H319	
CAS: 616-38-6	dimethyl carbonate	>25–≤40%
	Flam. Liq. 2, H225	
Index number: 607-013-00-6		
CAS: 21324-40-3	Lithium hexafluorophosphate	>10–≤25%
EINECS: 244-334-7	Acute Tox. 3, H301; STOT RE 1, H372; Skin Corr. 1B, H314; Eye Dam. 1, H318	
- Additional information: Fo	or the wording of the listed hazard phrases refer to section 16.	

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- . After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- . After skin contact: Immediately wash with water and soap and rinse thoroughly.
- . After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- . After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

. Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

. Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Use individual protective gear.

6.2 Environmental precautions:

Dilute with plenty of water.

Version number 8 (replaces version 7)

Trade name: 1M LiPF6 in DMC:EC 1:1 (vol.)

Revision: 29.01.2023

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

. Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities Shelf Life 12 months sealed. . Storage:

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Maximum storage temperature: Store at room temperature, not exceeding 35°C.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

CAS: 21324-40-3 Lithium hexafluorophosphate

OEL (Sweden) Short-term value: 0,02 mg/m³

som Li; inhalerbar fraktion

. Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

. General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work. Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

. Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR

Chloroprene rubber (Neopren)

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

UE

Version number 8 (replaces version 7)

Revision: 29.01.2023

(Contd. of page 3)

Trade name: 1M LiPF6 in DMC:EC 1:1 (vol.)

Eye/face protection



*

Tightly sealed goggles

. Body protection: Use protective suit.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Fluid Physical state Fluid Color: Colories to fight yellow Odor freshold: Not determined. Odor freshold: Not determined. Miling point Oriential boiling range 90.5° C (CAS: 161-38-6 dimethyl carbonate) Flammability Not determined. Lower and upper explosion limit Not determined. Lower: Not determined. Information temperature: Not determined. Perform:	SECTION 7. 1 hysical and chemical properties	
- General Information Physical state Color: Colorises to light yelow Color: Colorises to light yelow Color: Colorises to light yelow Colorise Colorises Colorises Colorise	9.1 Information on basic physical and chemical properties	
Physical stateFluidColor:Colores to fight yellowOdor threshold:Not determined.Odifing point receing point:Undetermined.Boiling point or initial boiling point and boiling range90.5° C (CAS: 616-38-6 dimethyl carbonate)FlammabilityFlammabile.Lower and upper seplosion limit23-28° (CAS: 616-38-6 dimethyl carbonate)Import:Not determined.Ippre:Not determined.Ippre:Set (CAS: 616-38-6 dimethyl carbonate)Ippre:Set (CAS: 616-38-6 dimethyl carbonate)Ippre:Not determined.Ippre:Not determined.Import:Not determined.Import:Not determined.Import:Not determined.Import:Not determined.Viscosity:Not determined.Intermative viscosity at 25° (C7 0° P)Import:Import:Viscosity at 25° (C7 0° P)Import:Viscosity at 25° (
ColorColoresto light yellowOdor:Odor threshold:Odor threshold:Not determined.Holting point or initia boiling point and boiling range90.5 °C (CAS: 616-38-6 dimethyl carbonate)HammableHammableLower:Not determined.Upper:Not determined.Partition temperature:Not determined.Partition carbon temperature:Not determined.Upper StreshowNot determined.Partition carbon temperature:Not determined.Partition carbon protection of health and environment.Partition carbon on protection of health and environment.Partition temperature:Product is not explosive. Invasion of explosive air/vapoutPartition temperature:NoidPartition temperature:Product is not explosive. Invasi		Fluid
- OdorNot determined.Odor threshold:Not determined.Metting point freezing point:Undetermined.Boling point or initial boling point and boling range90.5° CCAS: 616-38-6 dimethyl carbonate)HammabilityFlammable.Lower at upper explosion limit23-28 °CLightion temperature:23-28 °CLightion temperature:348 °C (CAS: 616-38-6 dimethyl carbonate)Decomposition temperature:32-28 °CLightion temperature:10.39 mS/cm- Conductivity10.39 mS/cm- Conductivity12.43 kg/m- Vancer:10.39 mS/cm- Vancer:12.43 kg/m- Vancer:		
-Oder threshold:Not determined.Hotting point freezing pointUndetermined.HammablicPlanmable.Lower:Not determined Upper:Not determined Upper:Not determined Upper:Sci CAS: 616-38-6 dimethyl carbonate)- Upper:Not determined Upper:Sci CAS: 616-38-6 dimethyl carbonate)- Upper:Not determined Upper:Sci CAS: 616-38-6 dimethyl carbonate)- Upper:Not determined ConductivityImplication temperature:- ConductivityImplication temperature:- ConductivityImplication- Nicosity:Not determined Nicosity:Not determined Nicosity:Not determined Nicosity:Fally miscihle Nicosity:Planmable Nicosity:Implication- Nicosity:Implication- Nicosity:Not determined Nicosity:Implication- Nicosity:		
Beiling point or initial boiling point and boiling range0.5 °C (CAS: 616-38-6 dimethyl carbonate.)Lawer:Hammable.Lawer:Not determinedUpper:Not determinedUpper:Not determinedUpper:Not determinedUpper:Asi CCAS: 616-38-6 dimethyl carbonate.).Upper:Not determinedPation temperature:Asi CCAS: 616-38-6 dimethyl carbonate.).Decomposition temperature:Asi CCAS: 616-38-6 dimethyl carbonate.).Decomposition temperature:Not determinedPation temperature:Not determinedPation temperature:Not determinedPation temperature:Not determinedViscosity at 25 °C (77 °F)Viscosity at 25 °C (77 °F)Viscosity at 25 °C (77 °F)vater:		
FlammabilityFlammableLover and upper explosion limitNot determinedLover:Not determinedUpper:Not determinedFishs point:23-28 °C.pattion temperature:Not determinedDecomposition temperature:Not determinedDecomposition temperature:Not determinedDecomposition temperature:Not determinedDecomposition temperature:Not determinedDecomposition temperature:Not determinedDecomposition temperature:Not determinedViscosity 125 °C;10.39 mS/cm.at 29°C:Not determinedViscosity 25°C; (77 °F)Not determinedDynamic:Not determinedSolubilityNot determinedWare:Partition coefficient n-octanol/water (log value)Not determinedVapour pressure at 20 °C:0 hPaDensity at 20 °C:1.243 g/cm ⁻¹ .Pensity at 20 °C:1.243 g/cm ⁻¹ .Autority:1.244 kg/m ⁺¹ .Vapour densityNot determinedud on safety.I.243 kg/m ⁺¹ .Autority:1.244 kg/m ⁺¹ .Autorignition temperature:Product is not selfignitingPensity at 20 °C:39.46 %.Solute:Not determinedud on safety.Product is not explosive. However, formation of explosive air/vapour.autority:39.46 %.Solute:OutofisingExplosive properties:Void.Autorignition temperature:Void.Autorignition gases		
LowerNor determined.LowerNor determinedUpper:Nor determinedUpper:Nor determinedPlash point:23-28 °C-Jenition temperature:458 °C (CAS: 616-38-6 dimethyl carbonate)Decomposition temperature:Nor determined.PHNor determined.PHNor determinedConductivity:::138 mS/cmat 25°C;10.39 mS/cm: Norokity at 25°C (77 °F)Nor determined.Water:Nor determinedVacour (1990)Nor determined.SolubilityNor determinedVacour (2000)Nor determined.SolubilityNor determinedVapour pressure at 20 °C;O hPaDensity and/or relative densityNor determinedNapour densityNor determinedNapour densityNor determinedNapour densityNor determinedNapour densityNor determinedNapour densityNor determinedNapor ance:Liquid-Napor ance:Nor determinedNapor ance:Nor determinedNapor ance:Product is nor selfignitingNapor ance:Nor determinedNapor ance: <t< th=""><th></th><th></th></t<>		
. Lower:Net determined.Upper:Net determined Flash point:23-28 °C. Jpation temperature:Net determined Decomposition temperature:Net determined Decomposition temperature:Net determined Decomposition temperature:Net determined At 20°C:1.33 mS/cm. at 20°C:1.33 mS/cm. at 20°C:1.33 mS/cm. at 20°C:1.33 mS/cm. Viscosity at 25°C (77 °F). Dynamic:Net determined Oynamic:Net d		Flammable.
Upper:Not determined.• Flash point:23-28 °C• Flash point:23-28 °C• Decomposition temperature:458 °C (CAS: 616.38-6 dimethyl carbonate)• PHNot determined.• PHNot determined.• Order(Fity10.39 mS/cm• at 28°C:10.39 mS/cm• At 28°C:11.38 mS/cm• Viscosity at 25 °C (77 °F)Not determined.• Urscosity at 25 °C (77 °F)Not determined.• Dynamic:Solubility• Atter:Pull miscible.Partition coefficient n-octanol/water (log value)Not determined.• Vapour pressure at 20 °C:0 hPaDensity ad/00 relative density1.243 g/cm ³ • Vapour pressure at 20 °C:0 hPaDensity ad/00 relative density1.243 g/cm ³ • Vapour density at 20 °C:1.243 g/cm ³ • Vapour density at 20 °C:1.243 g/cm ³ • Vapour density at 20 °C:1.243 g/cm ³ • Vapour density1.243 g/cm ³ • Vapour density1.243 g/cm ³ • Vapour density1.243 g/cm ³ • Vapour densityNot determined.• Vapour density1.243 g/cm ³ • Vapour densityNot determined.• Vapour densityNot determined.• Vapour densityNot determined.• Vapour densityNot determined.• Order informationNot determined.• Order informationNot determined.• Solvent content:Not determined.• Solvent content:Not determined.• Solvent c	Lower and upper explosion limit	
- Fiais point:23-28 °Clegition temperature:458 °C (AS: 616.38-64 intelyl carbonate)Decomposition temperature:Not determinedPlotterity:at 20°C:10,39 mS/cmat 25°C:11,38 mS/cm- Viscosity:Not determined.Solubity at 25 °C (77 °F)Not determined.Joyamic:Not determined.Solubity:Not determined.Solubity:Not determined.Solubity:Not determined.Solubity:Not determined.Solubity:Not determined.Solubity:Not determined.Solubity:Not determined.Solubity:Not determined.Partition coefficient n-octanol/water (log value)Not determined.Partition coefficient n-octanol for fault and environment, and on safety.Product is not explosive. Howevere	. Lower:	Not determined.
-lgition temperature:458 °C (CAS: 616-38-6 dimethyl carbonate)Decomposition temperature:Not determined.PHNot determined.etal.28°C:10.39 mS/cmat 28°C:11.38 mS/cm-viscosity:Not determined.Viscosity at 25 °C (77 °F)Not determined.Dynamic:Not determined.SolubilityNot determined.Viscosity at 25 °C:0 hPaDensity ad/or relative densityNot determined.Vandor relative density0 hPaDensity ad/or relative density1,243 g/cm³- Vapour pressure at 20 °C:0 hPaDensity ad/or relative density1,243 g/cm³- Vapour pressure at 20 °C:0 hPaDensity ad/or relative densityNot determined Vapour ancel1,243 g/cm³- National and and environment.Not determined Appearance:Form:- Solvent information Appearance:Product is not selfigniting Solvent content:0,5 %- Solvent content:Not determined Solvent content:Not determined Charge in condition9,94 6 %- Solvent content:Not determined Solvent content:Void- Charge in conditionFlammable sease- Charge in conditionFlammable solids- Charge in conditionFlammable solids- Charge in solutionFlammable solids- Charge in solutionVoid- Charge in solutionVoid- Charge in solutionF	. Upper:	Not determined.
-lgition temperature:458 °C (CAS: 616-38-6 dimethyl carbonate)Decomposition temperature:Not determined.PHNot determined.etal.28°C:10.39 mS/cmat 28°C:11.38 mS/cm-viscosity:Not determined.Viscosity at 25 °C (77 °F)Not determined.Dynamic:Not determined.SolubilityNot determined.Viscosity at 25 °C:0 hPaDensity ad/or relative densityNot determined.Vandor relative density0 hPaDensity ad/or relative density1,243 g/cm³- Vapour pressure at 20 °C:0 hPaDensity ad/or relative density1,243 g/cm³- Vapour pressure at 20 °C:0 hPaDensity ad/or relative densityNot determined Vapour ancel1,243 g/cm³- National and and environment.Not determined Appearance:Form:- Solvent information Appearance:Product is not selfigniting Solvent content:0,5 %- Solvent content:Not determined Solvent content:Not determined Charge in condition9,94 6 %- Solvent content:Not determined Solvent content:Void- Charge in conditionFlammable sease- Charge in conditionFlammable solids- Charge in conditionFlammable solids- Charge in solutionFlammable solids- Charge in solutionVoid- Charge in solutionVoid- Charge in solutionF	- Flash point:	23–28 °C
Decomposition temperature:Not determined.PHNot determined Not determined- Conductivity1.38 mS/cm- at 29°C:10.39 mS/cm- at 29°C:11.38 mS/cm- Viscosity:Not determined.Kinematic viscosityNot determined.Viscosity at 25 °C (77 °F)Not determined Vapuar pressure at 20 °C:0 hPaPartition coefficient n-octanol/water (log value)Not determined.Partition coefficient n-octanol/water (log value)Not determined.Partition coefficient n-ottanol/water (log value)Not determined.Partition coefficient nortano1.243 g/m³- Napuar densityNot determined Relative density:1.243 g/m³- Vapuar pressure at 20 °C:Not determined Appearance:FormitForm:LiquidImportant information on protection of health and environment, and on safety Subisto content:Go.5 %- Change in conditionNot determined Suporation rateVoid- Suporation rateVoid- Change in conditionFormation-		458 °C (CAS: 616-38-6 dimethyl carbonate)
PHNot determinedConductivity:. at 28°C:10.39 mS/cm. st 28°C:11.38 mS/cmViscosity at 25 °C (77 °F) Dynamic:Not determined Solubility Dynamic: Dynamic:. <trr>. Dynamic:.<t< th=""><th></th><th></th></t<></trr>		
Conductivity : at 29°C: 10,39 mS/cm at 25°C: 11,38 mS/cm Viscosity: Not determined. Viscosity at 25 °C (70 *D) With etermined. Solubility Not determined. vater: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure at 20 °C: 0 hPa Density at 20 °C: 0 hPa Density at 20 °C: 1,243 g/cm ³ Relative density 1,243 g/cm ³ Not determined. 20 °C: Vapour pressure at 20 °C: 0 hPa Density at 20 °C: 1,243 g/cm ³ Not determined. 20 °C: Vapour density Not determined. Vapour density Not determined. * Autorignition on protection of health and environment. Individue sin tot explosive. However, formation of explosive air/vapour mixtures are possible. * Solvent content: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. * Solvent content: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. * Solvent content: Prophysical hazard classes Vo	1 1	
at 29°C:10.39 mS/cmat 25°C:11,38 mS/cmViscosity at 25°C (77 °F)		
at 28°C:11,38 mS/cmViscosity:Not determined.Ninematic viscosity at 25 °°C (7 °F)Not determined.SolubitityFully miscible.vatter:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined Vapour pressure at 20 °C:O IPADensity at 20 °C:IPADensity at 20 °C:IPABulk density:1.243 g/cm ³ - Relative density:1.243 g/cm ³ - Relative density:1.243 g/cm ³ - Appearance:Iciquid Atg/mA- Appearance:IciquidForm:Liquid Atg/mA- Appearance:Product is not selfigniting Auto-ignition temperature:Product is not selfigniting Auto-ignition temperature:Product is not selfigniting Solvent content:Iciquid- VOC (EC)39.46 %- Solvient content:Solid Scontent:- Solvient content:Iciquid- Explosive content:Iciquid- Range in conditionNot determined.Information with regard to physical hazard classesVoid- Solvient content:Void- Explosive solidsVoid- Change in conditionFormambel iquid and vapour Flammable igaesVoid- Ordici gassVoid- Solvient reserverVoid- Solvient reserverVoid- Solvient reserverVoid- Change in conditionFormambel iquid and vapour Flammable igaidsVoid- Change in		
- Viscosity: Not determined. Normatic viscosity at 25 °C (77 °F) Not determined. - Dynamic: Not determined. Solubility Fully miscible. - water: Fully miscible. - vapour pressure at 20 °C: 0 hPa Density and 70 relative density 1.243 g/cm² - Density and 70 relative density 1.243 g/cm² - Nor determined. 2.243 kg/m² - Nor determined. 2.243 kg/m² - Vapour density: 1.243 kg/m² - Vapour density: Product is not selfigniting. - Solvent content: 92 Other is not selfigniting. - Solvent content: 0.5 %		
Kinematic viscosity Not determined. Oynamic: Not determined. Solubitiy vater: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure at 20 °C: O hPa Density and/or relative density - - Bensity and/or relative density 1,243 g/cm ³ - Relative density Not determined. - Buk density: 1,243 g/cm ³ - Nate density Not determined. - Soluber information Not determined. - Appearance: Form: Form: Liquid Important information on protection of health and environment, and on safety. - - Auto-ignition temperature: Product is not selfigniting. - Auto-ignition temperature: Product is not selfigniting. - Solvent content: - - VOC (CC) 39,46 % - Solids content: Solids content: - Change in condition - Explosive properties: Void - Solvent content: Void - Solvent: Void - Solvent: - - Solvent content: - - Solvent in condition - - Explosive properties: Void - Otid gages		11,38 mS/cm
Viscosity at 25 °C (77 °F) Dynamic: Not determined. Solubility - water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. - Vapour pressure at 20 °C: 0 hPa Density at 20 °C: 1,243 g/cm³ - Relative density - Density at 20 °C: 1,243 g/cm³ - Relative density - Vapour density - Appearance: - Appearance: - Appearance: - Auto-fignition temperature: - Auto-fignition temperature: - Explosive properties: - Solvent content: - VOC (EC) - Solvent content: - Change in condition - Exaporation rate - Not determined. - Model and the solution - Change in condition - Exaporation rate - Regard to physical hazard classes Explosive grossing - Regard to physical hazard classes - Solved content: - Exaporation rate - Regard to physical hazard classes - Solved content: - Exaporation rate - Regard to physical hazard classes - Solved content: - Solved to physical hazard classes - Solved content: - Stapisty Solution - Solved to physical hazard classes - Solved content: - Stapisty Solution - Solved content: - Stapisty Solution - Solved to physical hazard classes - Solved content: - Stapisty Solution - Solved content: - Stapisty Solution - Solved content: - Stapisty Solution - Solved content: - Solved c		
. Dynamic: Not determined. Solubility Fully miscible. . vater: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. - Vapour pressure at 20 °C: O hPa Density at 20 °C: 1,243 g/cm³ . Relative density 1,243 g/cm³ . Relative density 1,243 g/cm³ . Relative density 1,243 g/cm³ . Vapour density Not determined. . Appearance: Form: . Appearance: Iguid Important information on protection of health and environment, and on safety. Index selfigniting. - Auto-ignition temperature: Product is not selfigniting. - Solvent content: . . VOC (EC) 39,46 % . Solids content: 60,5 % . Change in condition . Explosives Void Flammable gases Void Gases under pressure Void Gases under pressure Void Pyrophoric liquids Void Pyrophoric liquids Void Pyrophoric liquids Void Oxidising gases Void Ovidising substances and mixtures Void Oxidising substances and mixtures Void		Not determined.
. Dynamic: Not determined. Solubility Fully miscible. . vater: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. - Vapour pressure at 20 °C: O hPa Density at 20 °C: 1,243 g/cm³ . Relative density 1,243 g/cm³ . Relative density 1,243 g/cm³ . Relative density 1,243 g/cm³ . Vapour density Not determined. . Appearance: Form: . Appearance: Iguid Important information on protection of health and environment, and on safety. Index selfigniting. - Auto-ignition temperature: Product is not selfigniting. - Solvent content: . . VOC (EC) 39,46 % . Solids content: 60,5 % . Change in condition . Explosives Void Flammable gases Void Gases under pressure Void Gases under pressure Void Pyrophoric liquids Void Pyrophoric liquids Void Pyrophoric liquids Void Oxidising gases Void Ovidising substances and mixtures Void Oxidising substances and mixtures Void	Viscosity at 25 °C (77 °F)	
SolialityFully miscible.water:Fully miscible.Partition coefficient n-octanol/water (log value)Not determined Vapour pressure at 20 °C:0 hPaDensity and 20 °C:1.243 g/cm³- Relative density1.243 g/cm³- Napour density1.243 g/cm³- Vapour density1.243 g/cm³- Appearance:LiquidForm:LiquidImportant information on protection of health and environment, and on safety Auto-ignition temperature:Product is not selfigniting Auto-ignition temperature:Product is not explosive. However, formation of explosive air/vapout mixtures are possible Solvent content:Importanti of the presenter in the termined Solvent content:Solids content:- VOC (EC)39.46 %- Solvices content:Importantined ExplosivesVoid- Change in conditionVoid- ExplosivesVoid- ExplosivesVoid- Bammable gasesVoid- Gases under pressureVoid- Plammable figuidsVoid- Synobric liquidsVoid- Synobric liquidsVoid- Synobric liquidsVoid- Synobric liquidsVoid- Solids content:Void- Solids content:Void- Solids content:Void- Solids cont		Not determined.
water:Fully miscible.Partition coefficient n-otanol/water (log value)Not determined Vapour pressure at 20 °C:0 hPaDensity at 20 °C:1,243 g/cm³- Bensity 20 °C:1,243 g/cm³- Relative density:1,243 g/cm³- Autor density:1,243 g/cm³- Solvent content:1,243 g/cm?- Change in condition1,245 %- ExplosivesVoid- Information with regard to physical hazard classesVoid- Autor gasesVoid- Gases under pressureVoid- Prophoric liquidsVoid- Prophoric liquidsVoid- Prophoric liquidsVoid- Prophoric liquidsVoid </th <th></th> <th></th>		
Partion coefficient n-octanol/water (log value) Not determined. - Vapour pressure at 20 °C: 0 hPa - Bensity and/or relative density 1.243 g/cm³ - Bensity at 20 °C: 1.243 kg/m³ - Buikt density: 1.243 kg/m³ - Not determined. 9.0 ther information - Support Information - - Appearance: Form: - Auto-fignition temperature: Product is not selfigniting. - Auto-fignition temperature: Product is not selfigniting. - Solvent content: - - Solvist content: - - Solvist content: - - Solvist and classes - Explosives Void - Ramable gases Void - Oradising gases Void - Ramable liquids Flammable liquid and vapour. Flammable liquids Void	•	Fully miscible.
- Vapour pressure at 20 °C: 0 hPa Density and/or relative density 1,243 g/cm³ - Density at 20 °C: 1,243 g/cm³ - Relative density Not determined. Bulk density: 1,243 kg/m³ - Vapour density Not determined. 9.2 Other information . - Appearance: Form: Form: Liquid Important information on protection of health and environment, and on safety. Product is not selfigniting. - Auto-ignition temperature: Product is not selfigniting. - Solvent content: Wread to safe to		
Density and/or relative density 1,243 g/cm³ - Density at 20 °C: 1,243 g/cm³ Relative density Not determined. Bulk density: 1.243 kg/m³ - Vapour density Not determined. 9.0 there information . - Appearance: Form: Form: Liquid Important information on protection of health and environment, and on safety. Product is not selfigniting. - Auto-ignition temperature: Product is not selfigniting. - Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solvent content: . - Ochange in condition . - Explosive properties: 0,5 % - Change in condition . - Explosive air/vapour mixtures are possible. . - Solids content: 0,5 % - Change in condition . - Rearwale gases Void Flammable gases Void Gases under pressure Void Flammable liquids Flammable liquids and vapour. Flammable solids Void Self-reactive substances and mixtures		
- Density at 20 °C: 1,243 g/cm³ . Relative density Not determined. . Bulk density: 1,243 kg/m³ . Vapour density Not determined. 9.2. Other information . . Appearance: Form: Form: Liquid Important information on protection of health and environment, and on safety. Product is not selfigniting. - Auto-ignition temperature: Product is not selfigniting. - Kxplosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solvent content: . . VOC (EC) 39,46 % . Solids content: 60,5 % - Change in condition . . Evaporation rate Not determined. Information with regard to physical hazard classes Void Explosives Void Gases under pressure Void Flammable liquids Flammable liquid and vapour. Flammable solids Void Self-reactive substances and mixtures Void Self-reactive substances and mixtures Void Self-reactive substances and mixtures Void S		0 III d
Relative density Not determined. • Vapour density 1.243 kg/m³ • Vapour density Not determined. 9.2 Other information . - Appearance: Liquid Important information on protection of health and environment, and on safety. . - Auto-ignition temperature: Product is not selfigniting. - Kaple and information of explosive air/vapour mixtures are possible. . - Solvent content: . - VOC (EC) 39,46 % - Solids content: . - Change in condition . - Explosive properties: Void determined. - Solids content: . - VOC (EC) 39,46 % - Solids content: . - Explosive properties: Void - Romable gases Void Information with regard to physical hazard classes . Explosives Void Flammable gases Void Gases under pressure Void Flammable fliquids Flammable liquid and vapour. Flammable solids Void Self-reactive substances and mixtures Void		1 242 - /3
Bulk density: 1.243 kg/m³ • Vapour density Not determined. 9.2 Other information . • Appearance: Form: Form: Liquid Important information on protection of health and environment, and on safety. Product is not selfigniting. • Auto-ignition temperature: Product is not selfigniting. • Explosive properties: Product is not explosive. However, formation of explosive air/vapout mixtures are possible. • Solvent content: . • VOC (EC) 39,46 % • Solids content: 60,5 % • Change in condition . • Evaporation rate Not determined. Information with regard to physical hazard classes Void Explosives Void Flammable gases Void Gases under pressure Void Flammable solids Void Promable solids Void Preference substances and mixtures Void Pyrophoric solids Void Pyrophoric solids Void Pyrophoric solids Void Pyrophoric solids Void Oxidising liquids		
. Vapour density Not determined. 92. Other information . . Appearance: Liquid Important information on protection of health and environment, and on safety. Liquid is not selfigniting. - Auto-ignition temperature: Product is not selfigniting. - Solvent content: mixtures are possible. . Solviet content: 00,5 % . Solvies content: 00,5 % - Change in condition Not determined. Information with regard to physical hazard classes Void Explosives Void Flammable gases Void Oxidising gases Void Flammable fliquids Flammable liquid and vapour. Flammable solids Void Pyrophoric solids Void Pyrophoric solids Void Pyrophoric solids Void Oxidising liquids Void Pyrophoric solids Void Oxidising liquids Void		
9.2 Other information . Appearance: Form: Liquid Important information on protection of health and environment, and on safety. - Auto-ignition temperature: Product is not selfigniting. - Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solvent content:		
. Appearance: Liquid Form: Liquid Important information on protection of health and environment, and on safety. - - Auto-ignition temperature: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solvent content: - - VOC (EC) 39,46 % - Solids content: 60,5 % - Change in condition - - Explosives Void determined. Information with regard to physical hazard classes Void Explosives Void Aerosols Void Gases under pressure Void Flammable liquids Flammable liquid and vapour. Flammable liquids Void Self-reactive substances and mixtures Void Pyrophoric solids Void Self-heating substances and mixtures Void Oxidising liquids Void	. Vapour density	Not determined.
. Appearance: Liquid Form: Liquid Important information on protection of health and environment, and on safety. - - Auto-ignition temperature: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solvent content: - - VOC (EC) 39,46 % - Solids content: 60,5 % - Change in condition - - Explosives Void determined. Information with regard to physical hazard classes Void Explosives Void Aerosols Void Gases under pressure Void Flammable liquids Flammable liquid and vapour. Flammable liquids Void Self-reactive substances and mixtures Void Pyrophoric solids Void Self-heating substances and mixtures Void Oxidising liquids Void	9 2 Other information	
Form: Liquid Important information on protection of health and environment, and on safety. Product is not selfigniting. - Auto-ignition temperature: Product is not selfigniting. - Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solvent content:		
Important information on protection of health and environment, and on safety. - Auto-ignition temperature: Product is not selfigniting. - Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solvent content: . - VOC (EC) 39,46 % - Solids content: 60,5 % - Change in condition . - Explosives Not determined. Information with regard to physical hazard classes Void Flammable gases Void Gases under pressure Void Flammable liquids Flammable liquid and vapour. Flammable logids Void Pyrophoric liquids Void Pyrophoric liquids Void Pyrophoric solids Void Substances and mixtures Void Substances and mixtures Void Oxidising solids Void Oxidising solids Void Oxidising solids Void		Liquid
and on safety. - Auto-ignition temperature: Product is not selfigniting. - Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solids content: - Solids content: . VOC (EC) 39,46 % . Solids content: 60,5 % - Change in condition - . Explosives Not determined. Information with regard to physical hazard classes Void Flammable gases Void Gases under pressure Void Flammable liquids Flammable liquid and vapour. Flammable solids Void Self-reactive substances and mixtures Void Syrophoric liquids Void Pyrophoric solids Void Substances and mixtures Void Substances and mixtures Void Substances and mixtures Void Oxidising sliquids Void Oxidising		
- Auto-ignition temperature:Product is not selfigniting Explosive properties:Product is not selfigniting Solvent content:mixtures are possible Solvent content:39,46 %- Solids content:60,5 %- Change in conditionExplosive air/vapout and the physical hazard classes- Evaporation rateNot determined.Information with regard to physical hazard classesVoidExplosivesVoidFlammable gasesVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidSyrophoric liquidsVoidSubstances and mixturesVoidSubstances an		,
- Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solvent content: - - VOC (EC) 39,46 % . Solids content: 60,5 % - Change in condition - - Evaporation rate Not determined. Information with regard to physical hazard classes Void Fammable gases Void Aerosols Void Gases under pressure Void Flammable liquids Flammable liquid and vapour. Flammable solids Void Self-reactive substances and mixtures Void Symphoric iquids Void Symphoric solids Void Substances and mixtures Void Substances and mixtures, which emit flammable gases in contact Void With water Void Oxidising isguids Void <th></th> <th></th>		
- Solvent content:		
Solvent content:	- Explosive properties:	
. VOC (EC)39,46 %. Solids content:60,5 %- Change in condition Evaporation rateNot determined.Information with regard to physical hazard classes.ExplosivesVoidFlammable gasesVoidOxidising gasesVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoid		mixtures are possible.
Solids content:60,5 %- Change in condition Evaporation rateNot determined.Information with regard to physical hazard classesExplosivesExplosivesVoidFlammable gasesVoidOxidising gasesVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSubstances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoid	- Solvent content:	
Solids content:60,5 %- Change in condition Evaporation rateNot determined.Information with regard to physical hazard classesExplosivesExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSubstances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoid	. VOC (EC)	39,46 %
- Change in condition. Evaporation rateNot determined.Information with regard to physical hazard classesVoidExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising substances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoid		60,5 %
. Evaporation rateNot determined.Information with regard to physical hazard classesVoidExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoid		·
Information with regard to physical hazard classesExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoid		Not determined.
ExplosivesVoidFlammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoid	•	
Flammable gasesVoidAerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoid	Information with regard to physical hazard classes	
AerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoid		
AerosolsVoidOxidising gasesVoidGases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidOxidVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoid	Flammable gases	Void
Gases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOrganic peroxidesVoid	Aerosols	Void
Gases under pressureVoidFlammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising liquidsVoidOrganic peroxidesVoid	Oxidising gases	Void
Flammable liquidsFlammable liquid and vapour.Flammable solidsVoidSelf-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixturesVoidSubstances and mixturesVoidOxidising liquidsVoidOxidising solidsVoidOxidising solidsVoidOrganic peroxidesVoid		
Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact Void with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void		
Self-reactive substances and mixturesVoidPyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixtures, which emit flammable gases in contactVoidwith waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoid	1	
Pyrophoric liquidsVoidPyrophoric solidsVoidSelf-heating substances and mixturesVoidSubstances and mixtures, which emit flammable gases in contactVoidwith waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoid		
Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact Void with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void		
Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact Void with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void		
Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void		
with waterVoidOxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoid		
Oxidising liquidsVoidOxidising solidsVoidOrganic peroxidesVoid	,	
Oxidising solids Void Organic peroxides Void		
Oxidising solidsVoidOrganic peroxidesVoid	Oxidising liquids	Void
Organic peroxides Void		Void
	0 F	(Contd. on page 5)

(Contd. on page 5)

UE

Version number 8 (replaces version 7)

Revision: 29.01.2023

(Contd. of page 4)

Trade name: 1M LiPF6 in DMC:EC 1:1 (vol.)

Corrosive to metals **Desensitised explosives** Void Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Strong oxidizer and strong acid and base.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Harmful if swallowed. LD/LC50 values relevant for classification: **ATE (Acute Toxicity Estimates)** LD50 1.696 mg/kg (rat) Oral CAS: 96-49-1 ethylene carbonate Oral LD50 10.400 mg/kg (rat) Dermal LD50 2.000 mg/kg (rat) CAS: 616-38-6 dimethyl carbonate LD50 13.000 mg/kg (rat) Oral Dermal LD50 >5.000 mg/kg (rabbit) CAS: 21324-40-3 Lithium hexafluorophosphate LD50 200 mg/kg (rat) Oral 300 mg/kg (rabbit) Dermal LD50 mg/kg (rat) mg/kg (rabbit) . Skin corrosion/irritation Causes severe skin burns and eye damage.

. Serious eye damage/irritation Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

. Germ cell mutagenicity Based on available data, the classification criteria are not met.

. Carcinogenicity Based on available data, the classification criteria are not met.

. Reproductive toxicity Based on available data, the classification criteria are not met.

- Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

- Specific target organ toxicity - repeated exposure

Causes damage to the bones and the teeth through prolonged or repeated exposure. May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

(Contd. on page 6) UE

- UE

Version number 8 (replaces version 7)

Trade name: 1M LiPF6 in DMC:EC 1:1 (vol.)

12.7 Other adverse effects Additional ecological information: **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even small quantities leak into the ground.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

HP3 Flammable

HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP6 Acute Toxicity

HP8 Corrosive

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.
 Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN2920
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	UN2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (LITHIUM SALT, DIMETHYL CARBONATE) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (LITHIUM SALT, DIMETHYL CARBONATE)
14.3 Transport hazard class(es)	· · · · · · · · · · · · · · · · · · ·
ADR/RID/ADN	
Class	8
Label IMDG	8+3
Class Label	8 8/3
IATA	0/0
Class	8
Label	8 (3)
14.4 Packing group ADR/RID/ADN, IMDG, IATA	П
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code): EMS Number:	83 F-E.S-C
Stowage Category	E
Stowage Code	SW1 Protected from sources of heat. SW2 Clear of living quarters.
	(Contd. on page 7

(Contd. of page 5)

Revision: 29.01.2023

Version number 8 (replaces version 7)

Revision: 29.01.2023

Trade name: 1M LiPF6 in DMC:EC 1:1 (vol.)

	(Contd. of page 6
14.7 Maritime transport in bulk according to IMO	instruments Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (LITHIUM SALT DIMETHYL CARBONATE) 8 (3) II
	SALT, DIMETHYL CARBONATE), 8 (3), II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

ethylene carbonate Lithium hexafluorophosphate

Hazard statements

H226 Flammable liquid and vapour.

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H372-H373 Causes damage to the bones and the teeth through prolonged or repeated exposure. May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t

Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment:

For this product, no chemical safety assessment has been performed.

(Contd. on page 8)

UE

Version number 8 (replaces version 7)

Revision: 29.01.2023

Trade name: 1M LiPF6 in DMC:EC 1:1 (vol.)

A Chemical Safety Assessment has been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

For research and development use only. **Relevant phrases** H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H372 Causes damage to organs through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure. Department issuing SDS: Regulatory affairs department Contact: Email: hse@solvionic.com Phone number: +33 (0)5.34.63.35.35 Date of previous version: 21.07.2022 Version number of previous version: 7 Abbreviations and acronyms: ADR: Accord relatif at transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods (Código Marítimo Internacional de Mercancías Peligrosas). IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative VPVB: Very Persistent and Very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. IB: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2

(Contd. on page 9)

UE

Version number 8 (replaces version 7)

Revision: 29.01.2023

Trade name: 1M LiPF6 in DMC:EC 1:1 (vol.)

(Contd. of page 8)

· •	
Annex: Exposure sc	
Short title of the exposu	
	entific research and development
Product category PC21	
	ies / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
Conditions of use	
Duration and frequency	5 workdays/week.
Physical parameters	
Physical state Fluid	
	stance in the mixture The substance is main component.
Used amount per time or	• activity Smaller than 100 g per application.
Other operational condi	ions
Other operational condi	tions affecting environmental exposure No special measures required.
Other operational condi	tions affecting worker exposure
Avoid contact with eyes.	
Avoid contact with the sk	
Take precautionary measu	res against static discharge.
Keep away from sources of	f ignition - No smoking.
Other operational condi	tions affecting consumer exposure No special measures required.
Other operational condi	tions affecting consumer exposure during the use of the product Not applicable.
Risk management measu	res
Worker protection	—
Organisational protectiv	e measures No special measures required.
Technical protective mea	isures
Provide explosion-proof e	ectrical equipment.
	tors are available on processing machines
Personal protective mean	sures
Do not inhale gases / fume	es / aerosols.
Avoid contact with the sk	n.
Avoid contact with the ey	25.
Tightly sealed goggles	
Protective gloves	
	e used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.
Measures for consumer	protection Ensure adequate labelling.
Environmental protection	
Water Generally, prior to	the introduction of wastewater into wastewater treatment plants a neutralisation is required.
	e that waste is collected and contained.
	st not be disposed together with household garbage. Do not allow product to reach sewage system.
	tied and uncleaned packaging
Exposure estimation	
Consumer Not relevant for	or this Exposure Scenario.
Guidance for downstrea	m users No further relevant information available.