

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 23.01.2024

Version number 10 (replaces version 9)

Revision: 23.01.2024

Page 1/9

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

## Trade name: EmimTFSI 40wt% in [1M LiPF6 in DEC:EC 1:1 (vol.)]

Article number: E014

**<u>1.2 Relevant identified uses of the substance or mixture and uses advised against</u> No other important information available.** 

- Sector of Use SU24 Scientific research and development - Product category PC21 Laboratory chemicals

Application of the substance / the mixture This product is intended for the exclusive use of Research and Development.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Solvionic SA 11 chemin des Silos 31100 TOULOUSE FRANCE

∅ : +33 (0).32.26.20.20
⊠: contact@solvionic.com

Further information obtainable from: Department of Regulatory affairs

#### 1.4 Emergency telephone number:

- United Kingdom: Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust, +44 20 7188 7188.

- Ireland: National Poisons Information Centre Beaumont Hospital, +353 1 809 2566 (Healthcare professionals24/7), +353 1 809 2166 (public, 8am - 10pm, 7/7).

- France ORFILA (INRS): +33 (0)1.45.42.59.59.

- Belgique, Belgie/Belgium: Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid

Rue Bruyn 1 - 1120 Bruxelles/Brussel. Toutes les questions urgentes concernant une intoxication: 070 245 245 (gratuit, 24/7), si pas accessible 02 264 96 30 (tarif normal). Alle dringende vragen over vergiftigingen: 070 245 245 (gratis, 24/7), of indien onbereikbaar tel. 02 264 96 30 (normaal tarief).

- Sverige/ Sweden: GiftinformationscentralenBox 60 500 : 112 - begär Giftinformation ,+46 10 456 6700 (Från utlandet)

- Ελλάδα / Greece: Poisons Information Centre Children's Hospital P&A Kyriakou, +30 21 07 79 37 77.

- Italia/Italy: Centro Antiveleni di Roma CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica Universita Cattolica del Sacro Cuore, +39 06 305 4343.

- España/ Spain: Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Madrid, +34 91 562 04 20 (solo emergencias toxicológicas), Información en español (24h/365 días).

- Nederland/ Netherlands (NVIC): Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen, +31 (0)88 755 8000.

- Norge/ Norway: Giftinformasjonen: +47 22 59 13 00.

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

# Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 3 H226 Flammable liquid and vapour.

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.


Eye Dam. 1 H318 Causes serious eye damage.

STOT RE 2 H373 May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.





#### Signal word Danger

Hazard-determining components of labelling:

1-Ethyl-3-methylimidazolium bis(trifluoromethanesulfonyl)imide Lithium hexafluorophosphate

(Contd. on page 2)

Version number 10 (replaces version 9)

Revision: 23.01.2024

# Trade name: EmimTFSI 40wt% in [1M LiPF6 in DEC:EC 1:1 (vol.)]

# ethylene carbonate

#### Hazard statements

H226 Flammable liquid and vapour. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral. H412 Harmful to aquatic life with long lasting effects.

## **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. P310 P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

#### - Description:

Mixture of substances listed below with nonhazardous additions. Mixture: consisting of the following components.

#### Dangarous components

- Dangerous componer	ns.	
CAS: 174899-82-2	1-Ethyl-3-methylimidazolium bis(trifluoromethanesulfonyl)imide	>25–≤40%
EC number: 700-235-5	Acute Tox. 3, H301; Aquatic Chronic 3, H412	
CAS: 96-49-1	ethylene carbonate	>25–≤40%
EINECS: 202-510-0	STOT RE 2, H373; Acute Tox. 4, H302; Eye Irrit. 2, H319	
CAS: 105-58-8	diethyl carbonate; carbonic acid diethyl	>10–≤25%
EINECS: 203-311-1	Flam. Liq. 3, H226	
CAS: 21324-40-3	Lithium hexafluorophosphate	>5–≤10%
EINECS: 244-334-7	Acute Tox. 3, H301; STOT RE 1, H372; Skin Corr. 1B, H314; Eye Dam. 1, H318	
- Additional information	<b>on:</b> For the wording of the listed hazard phrases refer to section 16.	

# **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### - General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

. After inhalation: In case of unconsciousness place patient stably in side position for transportation.

. After skin contact: Immediately wash with water and soap and rinse thoroughly.

. After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

. After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

. Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

#### 5.3 Advice for firefighters

. Protective equipment: No special measures required.

# **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

UE

Version number 10 (replaces version 9)

Trade name: EmimTFSI 40wt% in [1M LiPF6 in DEC:EC 1:1 (vol.)]

Wear protective equipment. Keep unprotected persons away. Use individual protective gear.

# 6.2 Environmental precautions:

Do not discharge into the sewer or the natural environment. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water.

#### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. . Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available

Keep respiratory protective device available.

<u>7.2 Conditions for safe storage, including any incompatibilities</u> Shelf Life 12 months sealed.
Storage:
Requirements to be met by storerooms and receptacles: No special requirements.

**Information about storage in one common storage facility:** No special requirements. **Further information about storage conditions:** Keep container tightly sealed. **Maximum storage temperature:** Store at room temperature, not exceeding 35°C.

7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

## CAS: 21324-40-3 Lithium hexafluorophosphate

OEL (Sweden) Short-term value: 0,02 mg/m<sup>3</sup> som Li; inhalerbar fraktion

. Additional information: The lists valid during the making were used as basis.

# 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

Individual protection measures, such as personal protective equipment

. General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

. Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Fluorocarbon rubber (Viton)

(Contd. of page 2)

Revision: 23.01.2024

# Safety data sheet according to 1907/2006/EC, Article 31

Version number 10 (replaces version 9)

Printing date 23.01.2024

<u>Trade name:</u> EmimTFSI 40wt% in [1M LiPF6 in DEC:EC 1:1 (vol.)]

Nitrile rubber, NBR Chloroprene rubber (Neopren) **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection** 



Flammable solids

**Pyrophoric liquids** 

**Pyrophoric solids** 

Self-reactive substances and mixtures

Self-heating substances and mixtures

Tightly sealed goggles

. Body protection: Use protective suit.

#### **SECTION 9: Physical and chemical properties** 9.1 Information on basic physical and chemical properties - General Information **Physical state** Liquid Colorless to light yellow Color: . Odor: Not determined. . Odor threshold: Not determined. . Melting point/freezing point: Undetermined. 126 °C (CAS: 105-58-8 diethyl carbonate) Boiling point or initial boiling point and boiling range Flammability Flammable. Lower and upper explosion limit . Lower: 3.6 Vol % 16,1 Vol % . Upper: - Flash point: 41 °C 445 °C (CAS: 105-58-8 diethyl carbonate) . Ignition temperature: . Decomposition temperature: 21324-40-3 Lithium hexafluorophosphate 175 °C Not determined pН . at 25°C: - Viscosity: **Kinematic viscosity** Not determined. Viscosity at 25 °C (77 °F) Not determined. . Dynamic: Solubility . water: Fully miscible. Partition coefficient n-octanol/water (log value) Not determined. 11 hPa (CAS: 105-58-8 diethyl carbonate) - Vapour pressure at 20 °C: Density and/or relative density - Density at 20 °C: 1,335 g/cm3 . Relative density Not determined. 1.335 kg/m<sup>3</sup> . Bulk density: Not determined. . Vapour density 9.2 Other information . Appearance: Form: Liquid Important information on protection of health and environment, and on safety. - Auto-ignition temperature: Product is not selfigniting. - Explosive properties: Product is not explosive. However, formation of explosive air/vapour mixtures are possible. - Solvent content: . Organic solvents: 22,4 % . VOC (EC) 22,36 % - Change in condition Not determined. . Evaporation rate Information with regard to physical hazard classes Explosives Void Flammable gases Void Void Aerosols Oxidising gases Void Gases under pressure Void Flammable liquids Flammable liquid and vapour.

Void

Void

Void

Void

Void

UE

Revision: 23.01.2024

(Contd. of page 3)

Revision: 23.01.2024

Printing date 23.01.2024

Version number 10 (replaces version 9)

Trade name: EmimTFSI 40wt% in [1M LiPF6 in DEC:EC 1:1 (vol.)]

		(Contd. of page 4)
Substances and mixtures, which emit flamm	able gases in contact	
with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

# **SECTION 10: Stability and reactivity**

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Strong oxidizer and strong acid and base.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Harmful if swallowed.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates) Oral LD50 588 mg/kg (rat)

CAS: 174899-82-2 1-Ethyl-3-methylimidazolium bis(trifluoromethanesulfonyl)imide

OralLD50300 mg/kg (rat)CAS: 96-49-1ethylene carbonate

Oral LD50 10.400 mg/kg (rat)

Dermal LD50 2.000 mg/kg (rat)

CAS: 21324-40-3 Lithium hexafluorophosphate

Oral LD50 200 mg/kg (rat)

Dermal LD50 mg/kg (rabbit)

mg/kg (rabbit)

. Skin corrosion/irritation Causes severe skin burns and eye damage.

. Serious eye damage/irritation Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

. Germ cell mutagenicity Based on available data, the classification criteria are not met.

. Carcinogenicity Based on available data, the classification criteria are not met.

. Reproductive toxicity Based on available data, the classification criteria are not met.

- Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

- Specific target organ toxicity - repeated exposure

May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral.

- Aspiration hazard Based on available data, the classification criteria are not met.

**<u>11.2 Information on other hazards</u>** 

Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

Version number 10 (replaces version 9)

Printing date 23.01.2024

Trade name: EmimTFSI 40wt% in [1M LiPF6 in DEC:EC 1:1 (vol.)]

Revision: 23.01.2024

	(Contd. of page 5)
<b><u>12.6 Endocrine disrupting properties</u></b> The product does not contain substances with endocrine disrupting properties.	
12.7 Other adverse effects	
Remark: Harmful to fish	
Additional ecological information:	
General notes:	
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water	
Do not allow product to reach ground water, water course or sewage system.	
Must not reach sewage water or drainage ditch undiluted or unneutralised.	
Danger to drinking water if even small quantities leak into the ground.	
Harmful to aquatic organisms	

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

\*

HP3	Flammable	
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	
HP6	26 Acute Toxicity	
HP8	Corrosive	
HP14	Ecotoxic	

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.
Recommended cleansing agents: Water, if necessary together with cleansing agents.

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	UN2920
14.2 UN proper shipping name ADR/RID/ADN IMDG, IATA	UN2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (LITHIUM SALT, DIETHYL CARBONATE) CORROSIVE LIQUID, FLAMMABLE, N.O.S. (LITHIUM SALT DIETHYL CARBONATE)
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label IMDG	8 8+3
Class Label IATA	8 8/3
Class Label	8 8 (3)
14.4 Packing group ADR/RID/ADN, IMDG, IATA	П
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Corrosive substances. 83

Version number 10 (replaces version 9)

Revision: 23.01.2024

# Trade name: EmimTFSI 40wt% in [1M LiPF6 in DEC:EC 1:1 (vol.)]

	(Contd. of page 6
EMS Number:	F-E,S-C
Stowage Category	С
Stowage Code	SW1 Protected from sources of heat.
	SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IM	<u>D instruments</u> Not applicable.
Transport/Additional information:	
ADR/RID/ADN	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (LITHIUN
0	SALT, DIETHYL CARBONATE), 8 (3), II

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms



Signal word Danger Hazard-determining components of labelling: 1-Ethyl-3-methylimidazolium bis(trifluoromethanesulfonyl)imide Lithium hexafluorophosphate ethylene carbonate Hazard statements H226 Flammable liquid and vapour. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H373 May cause damage to the kidneys, the bones and the teeth through prolonged or repeated exposure. Route of exposure: Oral. H412 Harmful to aquatic life with long lasting effects. **Precautionary statements** P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor. P403+P235 Store in a well-ventilated place. Keep cool. Dispose of contents/container in accordance with local/regional/national/international regulations. P501 Directive 2012/18/EU Named dangerous substances - ANNEX I None of the ingredients is listed. Seveso category P5c FLAMMABLE LIQUIDS Qualifying quantity (tonnes) for the application of lower-tier requirements 5.000 t Qualifying quantity (tonnes) for the application of upper-tier requirements 50.000 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II None of the ingredients is listed. **REGULATION (EU) 2019/1148** Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. **Annex II - REPORTABLE EXPLOSIVES PRECURSORS** 

None of the ingredients is listed.

(Contd. on page 8)

UE

Version number 10 (replaces version 9)

Revision: 23.01.2024

# <u>Trade name:</u> EmimTFSI 40wt% in [1M LiPF6 in DEC:EC 1:1 (vol.)]

(Contd. of page 7)

# Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

#### **15.2 Chemical safety assessment:**

For this product, no chemical safety assessment has been performed.

A Chemical Safety Assessment has been carried out.

# **SECTION 16: Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

For research and development use only. **Relevant phrases** H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H372 Causes damage to organs through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. Department issuing SDS: Regulatory affairs department **Contact:** Email: hse@solvionic.com Phone number: +33 (0)5.34.63.35.35 Date of previous version: 18.06.2023 Version number of previous version: 9 Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods (Código Marítimo Internacional de Mercancías Peligrosas). IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values ArL: Acute toXintae values Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toXicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

(Contd. on page 9)

UE

Version number 10 (replaces version 9)

Revision: 23.01.2024

# Trade name: EmimTFSI 40wt% in [1M LiPF6 in DEC:EC 1:1 (vol.)]

(Contd. of page 8)

Annex:	Exposure scenario
	of the exposure scenario
Sector of U	Use SU24 Scientific research and development
Product ca	tegory PC21 Laboratory chemicals
Description	n of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
Conditions	
<b>Duration</b> a	nd frequency 5 workdays/week.
Physical pa	arameters
Physical st	
Concentra	tion of the substance in the mixture The substance is main component.
	<b>Int per time or activity</b> Smaller than 100 g per application.
	rational conditions
Other open	rational conditions affecting environmental exposure No special measures required.
Other open	ational conditions affecting worker exposure
Avoid cont	act with eyes.
Avoid cont	act with the skin.
Take preca	itionary measures against static discharge.
Keep away	from sources of ignition - No smoking.
	the gas/vapour/aerosol.
Other open	ational conditions affecting consumer exposure No special measures required.
Other open	ational conditions affecting consumer exposure during the use of the product Not applicable.
	gement measures
Worker pr	otection
	onal protective measures No special measures required.
	protective measures
	losion-proof electrical equipment.
Ensure that	suitable extractors are available on processing machines
	rotective measures
Do not inha	ile gases / fumes / aerosols.
	act with the skin.
Avoid cont	act with the eyes.
Tightly sea	ed goggles
Protective g	
	ive gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.
In case of t	rief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respirato
protective of	levice.
	for consumer protection Ensure adequate labelling.
	ental protection measures
	erally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
	easures Ensure that waste is collected and contained.
	rocedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
	Partially emptied and uncleaned packaging
Exposure of	
	Not relevant for this Exposure Scenario.
	or downstream users No further relevant information available.