

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 5

Revision: 17.12.2021

Page 1/8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: 1M LiTFSI in DMC:EC 1:1 (vol.)

Article number: E037

<u>1.2 Relevant identified uses of the substance or mixture and uses advised against</u> No other important information available.

- Sector of Use SU24 Scientific research and development - Product category PC21 Laboratory chemicals

Application of the substance / the mixture This product is intended for the exclusive use of Research and Development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Solvionic SA 11 chemin des Silos 31100 TOULOUSE FRANCE T: +33 (0).32.26.20.20

@: contact@solvionic.com

Further information obtainable from: Department of Regulatory affairs

1.4 Emergency telephone number:

- United Kingdom: Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust, +44 20 7188 7188.

- Ireland: National Poisons Information Centre Beaumont Hospital, +353 1 809 2566 (Healthcare professionals24/7), +353 1 809 2166 (public, 8am - 10pm, 7/7).

- France ORFILA (INRS): +33 (0)1.45.42.59.59.

- Belgique, Belgie/Belgium: Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid

Rue Bruyn 1 - 1120 Bruxelles/Brussel. Toutes les questions urgentes concernant une intoxication: 070 245 245 (gratuit, 24/7), si pas accessible 02 264 96 30 (tarif normal). Alle dringende vragen over vergiftigingen: 070 245 245 (gratis, 24/7), of indien onbereikbaar tel. 02 264 96 30 (normaal tarief).

- Sverige/ Sweden: GiftinformationscentralenBox 60 500 : 112 - begär Giftinformation ,+46 10 456 6700 (Från utlandet)

- Ελλάδα / Greece: Poisons Information Centre Children's Hospital P&A Kyriakou, +30 21 07 79 37 77.

- Italia/Italy: Centro Antiveleni di Roma CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica Universita Cattolica del Sacro Cuore, +39 06 305 4343.

- España/ Spain: Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Madrid, +34 91 562 04 20 (solo emergencias toxicológicas), Información en español (24h/365 días).

- Nederland/ Netherlands (NVIC): Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen, +31 (0)88 755 8000.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

- Flam. Liq. 3 H226 Flammable liquid and vapour.
- Acute Tox. 4 H302 Harmful if swallowed.
- Acute Tox. 4 H312 Harmful in contact with skin.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

- Eye Dam. 1 H318 Causes serious eye damage.
 - H373 May cause damage to the central nervous system, the peripheral nervous system and the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

2.2 Label elements

STOT RE 2

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



Signal word Danger Hazard-determining components of labelling: ethylene carbonate lithium bis(trifluoromethylsulfonyl)imide

(Contd. on page 2)

UE

Version number 5

Revision: 17.12.2021

(Contd. of page 1)

Trade name: 1M LiTFSI in DMC:EC 1:1 (vol.)

Hazard statements

H226 Flammable liquid and vapour.

H302+H312 Harmful if swallowed or in contact with skin.

H314 Causes severe skin burns and eye damage.

H373 May cause damage to the central nervous system, the peripheral nervous system and the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

- Description:

Mixture of substances listed below with nonhazardous additions.

Mixture: consisting of the following components.

- Dangerous components:		
CAS: 96-49-1	ethylene carbonate	>40–≤60%
EINECS: 202-510-0	STOT RE 2, H373; Acute Tox. 4, H302; Eye Irrit. 2, H319	
CAS: 616-38-6	dimethyl carbonate	>25–≤40%
EINECS: 210-478-4	Flam. Liq. 2, H225	
Index number: 607-013-00-6		
CAS: 90076-65-6	lithium bis(trifluoromethylsulfonyl)imide; 1,1,1-trifluoro-N-[(trifluoromethyl)sulfonyl]	>10-≤25%
ELINCS: 415-300-0	methanesulfonamide lithium salt	
	Acute Tox. 3, H301; Acute Tox. 3, H311; STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Chronic 3, H412	

- Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- . After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- . After skin contact: Immediately wash with water and soap and rinse thoroughly.
- . After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- . After swallowing:

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

. Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam. . For safety reasons unsuitable extinguishing agents: Water with full jet

5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters

. Protective equipment: No special measures required.

(Contd. on page 3)

Version number 5

Revision: 17.12.2021

Trade name: 1M LiTFSI in DMC:EC 1:1 (vol.)

(Contd. of page 2)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Use individual protective gear.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent. Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

. Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges. Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

. Storage:

Requirements to be met by storerooms and receptacles: No special requirements. **Information about storage in one common storage facility:** Not required. **Further information about storage conditions:** Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

- Ingredients with limit values that require monitoring at the workplace:

CAS: 90076-65-6 lithium bis(trifluoromethylsulfonyl)imide

OEL (Sweden) Short-term value: 0,02 mg/m³

som Li; inhalerbar fraktion

. Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

- Personal protective equipment:

. General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

. Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

. Protection of hands:



Neoprene gloves To minimise the wetness in the glove due to perspiration changing of gloves during a shift is required. **Material of gloves** Neoprene gloves **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

UE

Version number 5

Revision: 17.12.2021

Trade name:	1M LiTFSI	in DMC:EC 1:1 (vol.)
-------------	-----------	----------------------

. Eye protection:



Tightly sealed goggles

. Body protection: Use protective suit.

9.1 Information on basic physical and ch	emical properties
- General Information	
. Appearance:	
Form:	Fluid
Color:	Colorless to light yellow
. Odor:	Not determined.
. Odor threshold:	Not determined.
- pH-value:	Not determined
. at 20°C:	8,30 mS/cm
. at 25°C:	9,09 mS/cm
- Change in condition	
. Melting point/freezing point:	Undetermined.
. Initial boiling point and boiling range	: 90,5 °C
- Flash point:	26 °C
- Flammability (solid, gas):	Not applicable.
. Ignition temperature:	458 °C
. Decomposition temperature:	Not determined.
- Auto-ignition temperature:	Product is not selfigniting.
- Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
- Explosion limits:	
. Lower:	3,6 Vol %
. Upper:	16,1 Vol %
- Vapour pressure at 25 °C:	75,7 hPa
- Density at 20 °C:	1,313 g/cm ³
. Bulk density:	1313 kg/m ³
. Relative density	Not determined.
. Vapour density	Not determined.
. Evaporation rate	Not determined.
- Solubility in / Miscibility with	
. water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity:	
. Dynamic:	Not determined.
. Kinematic:	Not determined.
- Solvent content:	
. VOC (EC)	34,99 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Strong oxidizer and strong base.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

<u>11.1 Information on toxicological effects</u>

Acute toxicity Harmful if swallowed or in contact with skin.

(Contd. on page 5)

Version number 5

Revision: 17.12.2021

Trade name: 1M LiTFSI in DMC:EC 1:1 (vol.)

		(Contd. of page 4)
LD/LC5	50 values relevant for classification:	
ATE (Ad	cute Toxicity Estimates)	
Oral	LD50 459 mg/kg	
Dermal	LD50 1062 mg/kg	
CAS: 96	6-49-1 ethylene carbonate	
Oral	LD50 10400 mg/kg (rat)	
Dermal	LD50 2000 mg/kg (rat)	
CAS: 61	16-38-6 dimethyl carbonate	
Oral	LD50 13000 mg/kg (rat)	
Dermal	LD50 >5000 mg/kg (rabbit)	
CAS: 90	0076-65-6 lithium bis(trifluoromethylsulfonyl)imide	
Oral	LD50 100 mg/kg (ATE)	
Dermal	LD50 300 mg/kg (ATE)	

- Primary irritant effect:

. Skin corrosion/irritation

Causes severe skin burns and eye damage.

. Serious eye damage/irritation

Causes serious eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met. Additional toxicological information:

- CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- . Germ cell mutagenicity Based on available data, the classification criteria are not met.
- . Carcinogenicity Based on available data, the classification criteria are not met.
- . Reproductive toxicity Based on available data, the classification criteria are not met.

- Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

- Specific target organ toxicity - repeated exposure

May cause damage to the central nervous system, the peripheral nervous system and the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

<u>12.1 Toxicity</u>

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

<u>12.3 Bioaccumulative potential</u> No further relevant information available.

12.4 Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach sewage water or drainage ditch undiluted or unneutralised. Danger to drinking water if even extremely small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- European waste catalogue
- HP3 Flammable
- HP5 Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
- HP6 Acute Toxicity
- HP8 Corrosive

(Contd. on page 6)

Version number 5

Revision: 17.12.2021

(Contd. of page 5)

Trade name: 1M LiTFSI in DMC:EC 1:1 (vol.)

Uncleaned packaging: . **Recommendation:** Disposal must be made according to official regulations.

14.1 UN-Number	
ADR/RID/ADN, IMDG, IATA	UN2920
14.2 UN proper shipping name	
ADR/RID/ADN	UN2920 CORROSIVE LIQUID, FLAMMABLE, N.O.S. (lit
MDC LITI	bis(trifluoromethylsulfonyl)imide, DIMETHYL CARBONATE)
IMDG, IATA	CORROSIVE LIQUID, FLAMMABLE, N.O.S. (lit bis(trifluoromethylsulfonyl)imide, DIMETHYL CARBONATE)
	bis(unidorometriyisunonyi)inide, bivie mite carbonate)
14.3 Transport hazard class(es)	
ADR/RID/ADN	
\wedge	
Class	8 Corrosive substances.
Label	8+3
IMDG	
\wedge	
Class	8 Corrosive substances.
Label	8/3
ATA	
8 3	
✓ ▼	
Class Label	8 Corrosive substances.
	8 (3)
14.4 Packing group	П
ADR/RID/ADN, IMDG, IATA	
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	83
EMS Number:	F-E,S-C
EMS Number: Stowage Category	E
EMS Number: Stowage Category	E SW1 Protected from sources of heat.
EMS Number: Stowage Category Stowage Code	E SW1 Protected from sources of heat. SW2 Clear of living quarters.
EMS Number: Stowage Category Stowage Code 14.7 Transport in bulk according to Annex II of Marpol and th	E SW1 Protected from sources of heat. SW2 Clear of living quarters.
EMS Number: Stowage Category Stowage Code 14.7 Transport in bulk according to Annex II of Marpol and th IBC Code	E SW1 Protected from sources of heat. SW2 Clear of living quarters.
EMS Number: Stowage Category Stowage Code <u>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</u> Transport/Additional information:	E SW1 Protected from sources of heat. SW2 Clear of living quarters.
EMS Number: Stowage Category Stowage Code <u>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</u> Transport/Additional information: ADR/RID/ADN	E SW1 Protected from sources of heat. SW2 Clear of living quarters. <u>Ie</u> Not applicable.
EMS Number: Stowage Category Stowage Code <u>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</u> Transport/Additional information: ADR/RID/ADN Limited quantities (LQ)	E SW1 Protected from sources of heat. SW2 Clear of living quarters. <u>Pe</u> Not applicable. 1L
EMS Number: Stowage Category Stowage Code <u>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</u> Transport/Additional information: ADR/RID/ADN Limited quantities (LQ)	E SW1 Protected from sources of heat. SW2 Clear of living quarters. <u>Pe</u> Not applicable. <u>1L</u> Code: E2
EMS Number: Stowage Category Stowage Code <u>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</u> Transport/Additional information: ADR/RID/ADN Limited quantities (LQ)	E SW1 Protected from sources of heat. SW2 Clear of living quarters. <u>Pe</u> Not applicable. 1L
EMS Number: Stowage Category Stowage Code <u>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</u> <u>IBC Code</u> <u>Fransport/Additional information:</u> <u>ADR/RID/ADN</u> Limited quantities (LQ) Excepted quantities (EQ) Fransport category	E SW1 Protected from sources of heat. SW2 Clear of living quarters. Not applicable.
EMS Number: Stowage Category Stowage Code <u>14.7 Transport in bulk according to Annex II of Marpol and the store of the sto</u>	E SW1 Protected from sources of heat. SW2 Clear of living quarters. Not applicable. 1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
EMS Number: Stowage Category Stowage Code 14.7 Transport in bulk according to Annex II of Marpol and th IBC Code Transport/Additional information: ADR/RID/ADN Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (EQ) Fransport category Funnel restriction code IMDG	E SW1 Protected from sources of heat. SW2 Clear of living quarters. Not applicable.
EMS Number: Stowage Category Stowage Code <u>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</u> Transport/Additional information: ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Tunnel restriction code IMDG Limited quantities (LQ)	E SW1 Protected from sources of heat. SW2 Clear of living quarters. Not applicable.
EMS Number: Stowage Category Stowage Code 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ) Fransport category Funnel restriction code IMDG	E SW1 Protected from sources of heat. SW2 Clear of living quarters. Not applicable.
EMS Number: Stowage Category Stowage Code <u>I4.7 Transport in bulk according to Annex II of Marpol and the BC Code</u> Transport/Additional information: ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ) Fransport category Funnel restriction code MDG Limited quantities (LQ)	E SW1 Protected from sources of heat. SW2 Clear of living quarters. Not applicable.
EMS Number: Stowage Category Stowage Code 14.7 Transport in bulk according to Annex II of Marpol and th IBC Code Transport/Additional information: ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ) Transport category Funnel restriction code IMDG Limited quantities (LQ) Excepted quantities (LQ)	E SW1 Protected from sources of heat. SW2 Clear of living quarters. Not applicable.
EMS Number: Stowage Category Stowage Code 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Transport/Additional information: ADR/RID/ADN Limited quantities (LQ) Excepted quantities (EQ) Fransport category Funnel restriction code IMDG Limited quantities (LQ)	E SW1 Protected from sources of heat. SW2 Clear of living quarters. Not applicable.


(Contd. on page 7)

Version number 5

Revision: 17.12.2021

Trade name: 1M LiTFSI in DMC:EC 1:1 (vol.)

(Contd. of page 6)



None of the ingredients is listed.

15.2 Chemical safety assessment: For this product, no chemical safety assessment has been performed.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

For research and development use only. **Relevant phrases** H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H319 Causes serious eye irritation. H373 May cause damage to organs through prolonged or repeated exposure. H412 Harmful to aquatic life with long lasting effects. Department issuing SDS: Regulatory affairs department **Contact:** Email: hse@solvionic.com Phone number: +33 (0)5.34.63.35.35 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

Version number 5

Revision: 17.12.2021

Trade name: 1M LiTFSI in DMC:EC 1:1 (vol.)

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin corr. IB: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 2 STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 (Contd. of page 7)

UE -