

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 5

Revision: 17.12.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier****Trade name:** LiTFSI : PYR13FSI 1:9 (mol.)**Article number:** E049**Registration number** Reach : 01-2120888409-36-0000**1.2 Relevant identified uses of the substance or mixture and uses advised against** No other important information available.- **Sector of Use** SU24 Scientific research and development- **Product category** PC21 Laboratory chemicals- **Process category** PROC 1 - PROC 5- PROC 8b - PROC 9 - PROC 15.**Application of the substance / the mixture** This product is intended for the exclusive use of Research and Development**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Solvionic SA

11 chemin des Silos

31100 TOULOUSE

FRANCE

T: +33 (0).32.26.20.20

@: contact@solvionic.com

Further information obtainable from: Department of Regulatory affairs**1.4 Emergency telephone number:**

- United Kingdom: Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust, +44 20 7188 7188.

- Ireland: National Poisons Information Centre Beaumont Hospital, +353 1 809 2566 (Healthcare professionals24/7), +353 1 809 2166 (public, 8am - 10pm, 7/7).

- France ORFILA (INRS): +33 (0)1.45.42.59.59.

- Belgique, Belgie/Belgium: Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid

Rue Bruyn 1 - 1120 Bruxelles/Brussel. Toutes les questions urgentes concernant une intoxication: 070 245 245 (gratuit, 24/7), si pas accessible 02 264 96 30 (tarif normal). Alle dringende vragen over vergiftigingen: 070 245 245 (gratis, 24/7), of indien onbereikbaar tel. 02 264 96 30 (normaal tarief).

- Sverige/ Sweden: Giftinformationscentralen Box 60 500 : 112 – begär Giftinformation ,+46 10 456 6700 (Från utlandet)

- Ελλάδα / Greece: Poisons Information Centre Children's Hospital P&A Kyriakou, +30 21 07 79 37 77.

- Italia/Italy: Centro Antiveleni di Roma CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica Università Cattolica del Sacro Cuore, +39 06 305 4343.

- España/ Spain: Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Madrid, +34 91 562 04 20 (solo emergencias toxicológicas), Información en español (24h/365 días).

- Nederland/ Netherlands (NVIC): Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen, +31 (0)88 755 8000.

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4 H302 Harmful if swallowed.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.**Hazard pictograms**

GHS05



GHS07

Signal word Danger**Hazard-determining components of labelling:**N-Propyl-N-methylpyrrolidinium bis(fluorosulfonyl)imide
lithium bis(trifluoromethylsulfonyl)imide**Hazard statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 5

Revision: 17.12.2021

Trade name: LiTFSI : PYR13FSI 1:9 (mol.)

(Contd. of page 1)

H317 May cause an allergic skin reaction.

Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 Other hazards**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**SECTION 3: Composition/information on ingredients****3.2 Chemical characterisation: Mixtures****- Description:**

Mixture of substances listed below with nonhazardous additions.

Mixture: consisting of the following components.

- Dangerous components:

CAS: 852620-97-4 EC number: 814-970-5	N-Propyl-N-methylpyrrolidinium bis(fluorosulfonyl)imide Acute Tox. 4, H302; Skin Sens. 1, H317; Aquatic Chronic 3, H412	>60–≤95%
CAS: 90076-65-6 ELINCS: 415-300-0 Index number: 616-124-00-9	lithium bis(trifluoromethylsulfonyl)imide; 1,1,1-trifluoro-N-[(trifluoromethyl)sulfonyl]methanesulfonamide lithium salt Acute Tox. 3, H301; Acute Tox. 3, H311; STOT RE 2, H373; Skin Corr. 1B, H314; Aquatic Chronic 3, H412	>5–≤10%

- Additional information: For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures****- General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

. After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

. After skin contact: Immediately wash with water and soap and rinse thoroughly.**. After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.**. After swallowing:**

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.**SECTION 5: Firefighting measures****5.1 Extinguishing media****. Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.**5.2 Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.**5.3 Advice for firefighters****. Protective equipment:** No special measures required.**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Use individual protective gear.

6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 5

Revision: 17.12.2021

Trade name: LiTFSI : PYR13FSI 1:9 (mol.)

(Contd. of page 2)

Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

. **Information about fire - and explosion protection:** Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities

. **Storage:**

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: Keep container tightly sealed.

. **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Additional information about design of technical facilities: No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

CAS: 90076-65-6 lithium bis(trifluoromethylsulfonyl)imide

OEL (Sweden)	Short-term value: 0,02 mg/m ³ som Li; inhalerbar fraktion
--------------	---

. **Additional information:** The lists valid during the making were used as basis.

8.2 Exposure controls

- **Personal protective equipment:**

. **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.

. **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

. **Protection of hands:**



Protective gloves

Neoprene gloves

To minimise the wetness in the glove due to perspiration changing of gloves during a shift is required.

Material of gloves Neoprene gloves

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

. **Eye protection:**



Tightly sealed goggles

. **Body protection:** Use protective suit.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- **General Information**

. **Appearance:**

Form:	Fluid
Color:	Colorless to light yellow

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 5

Revision: 17.12.2021

Trade name: **LiTFSI : PYR13FSI 1:9 (mol.)**

(Contd. of page 3)

. Odor:	Not determined.
. Odor threshold:	Not determined.
- pH-value:	Not determined
. at 20°C:	5,924 mS/cm
. at 25°C:	6,478 mS/cm
- Change in condition	
. Melting point/freezing point:	Undetermined.
. Initial boiling point and boiling range:	Undetermined.
- Flash point:	Not applicable.
- Flammability (solid, gas):	Not applicable.
. Decomposition temperature:	Not determined.
- Auto-ignition temperature:	Product is not selfigniting.
- Explosive properties:	Product does not present an explosion hazard.
- Explosion limits:	
. Lower:	Not determined.
. Upper:	Not determined.
- Vapour pressure:	Not determined.
- Density at 20 °C:	~1,37 g/cm ³
. Bulk density:	1370 kg/m ³
. Relative density	Not determined.
. Vapour density	Not determined.
. Evaporation rate	Not determined.
- Solubility in / Miscibility with	
. water:	Not miscible or difficult to mix.
- Partition coefficient: n-octanol/water:	Not determined.
- Viscosity:	
. Dynamic:	Not determined.
. Kinematic:	Not determined.
- Solvent content:	
. VOC (EC)	0,00 %
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Strong oxidizer and strong base.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Harmful if swallowed.

LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	364 mg/kg
Dermal	LD50	3202 mg/kg

CAS: 852620-97-4 N-Propyl-N-methylpyrrolidinium bis(fluorosulfonyl)imide

Oral	LD50	500 mg/kg (rat) (Acute Oral toxicity)
In accordance with OECD Guideline 423, the LD50 cut-off of the test item may be considered as 500mg/ kg bw/day by oral route in the rat		

CAS: 90076-65-6 lithium bis(trifluoromethylsulfonyl)imide

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	300 mg/kg (ATE)

- Primary irritant effect:

. Skin corrosion/irritation

Causes severe skin burns and eye damage.

. Serious eye damage/irritation

Causes serious eye damage.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 5

Revision: 17.12.2021

Trade name: LiTFSI : PYR13FSI 1:9 (mol.)

(Contd. of page 4)

- Respiratory or skin sensitisation

May cause an allergic skin reaction.

Additional toxicological information:**- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**. **Germ cell mutagenicity** Based on available data, the classification criteria are not met.. **Carcinogenicity** Based on available data, the classification criteria are not met.. **Reproductive toxicity** Based on available data, the classification criteria are not met.- **Specific target organ toxicity - single exposure** Based on available data, the classification criteria are not met.- **Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.- **Aspiration hazard** Based on available data, the classification criteria are not met.**SECTION 12: Ecological information****12.1 Toxicity****CAS: 852620-97-4 N-Propyl-N-methylpyrrolidinium bis(fluorosulfonyl)imide**

Dermal	Skin irritation	95,2 % /tissue via (Skin irritation in vitro) OECD Guideline 439 (In Vitro Skin Irritation: Reconstructed Human Epidermis Test Method).
	Skin corrosion	88,72 % /tissue (In Vitro Skin Corrosion RHE) % tissue viability After 1hour : 131.98 % tissue viability After 3 minutes : 88.72 Product not corrosif.
Irritation of eyes	Eye irritation	score (Isolated Chicken Eye Test) cornea opacity score : 0 fluorescein retention score: 0.5 percent corneal swelling: 6
Sensitisation	Skin sensitisation	% at mM (In Chemico Skin Sensitisation: DPRA) lysine depletion: 2.63% at 100 mM. cysteine depletion: 94.68 % at 100 mM overall average : 48.66%
	Skin sensitisation	These results are reflecting a high reactivity and therefore a positive prediction of Direct Peptide Reactivity Assay DPRA. 813,77 µM (In Vitro Skin Sensitisation: KeratinoSens™) The result of the test KeratinoSens™ show that the product may be a potential skin sensitizer.
	Genetic toxicity in vitro	/5000, 1500, 50 (Bacterial Reverse Mutation Assay) The product do not induce any mutagenic change in Salmonella typhimurium TA 1535, 1537, TA 98, TA 100 strains and Escherichia coli WP2(uvr A) (pkm101) strain without or with metabolic activation, according to the OECD guideline 471.

Aquatic toxicity:**CAS: 852620-97-4 N-Propyl-N-methylpyrrolidinium bis(fluorosulfonyl)imide**

EC50 freshwater algae and cyanobacteria (static)	100 mg/L (Freshwater Alga and Cyanobacteria test) The EC50 and EC10 above 100 mg/L on the growth of Pseudokirchneriella subcapitata over a period of 72 hours. NOEC (growth rate): 100 mg/L LOEC (growth rate): > 100 mg/L NOEC (yield): 100 mg/L LOEC (yield): > 100 mg/L 72h-ErC10: > 100 mg/L 72h-ErC20: > 100 mg/L 72h-ErC50: > 100 mg/L 72h-EyC10: > 100 mg/L 72h-EyC20: > 100 mg/L 72h-EyC50: > 100 mg/L
48h-EC50 (static)	95,04 mg/L (daphnia) (EC50 (daphnia)) Short-term toxicity to aquatic invertebrates: 48h-EC50 = 95.04 mg / L (Daphnia magna). The substance is not considered acutely toxic to aquatic species according to the CLP criteria.

12.2 Persistence and degradability**CAS: 852620-97-4 N-Propyl-N-methylpyrrolidinium bis(fluorosulfonyl)imide**

Biodegradation	0 % degradation /Not biodegrad (Biodegradation in water) the test of the product was found to be not readily biodegradable.
----------------	--

12.3 Bioaccumulative potential No further relevant information available.**12.4 Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:**

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 5

Revision: 17.12.2021

Trade name: LiTFSI : PYR13FSI 1:9 (mol.)

(Contd. of page 5)

Do not allow product to reach ground water, water course or sewage system, even in small quantities.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Danger to drinking water if even extremely small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment**PBT:** Not applicable.**vPvB:** Not applicable.**12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.**European waste catalogue**

HP6	Acute Toxicity
HP8	Corrosive
HP13	Sensitising
HP14	Ecotoxic

Uncleaned packaging:**Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information****14.1 UN-Number**

ADR/RID/ADN, IMDG, IATA

UN1760

14.2 UN proper shipping name

ADR/RID/ADN

UN1760 CORROSIVE LIQUID, N.O.S. (lithium bis(trifluoromethylsulfonyl)imide)

IMDG, IATA

CORROSIVE LIQUID, N.O.S. (lithium bis(trifluoromethylsulfonyl)imide)

14.3 Transport hazard class(es)

ADR/RID/ADN, IMDG, IATA



Class

8 Corrosive substances.

Label

8

14.4 Packing group

ADR/RID/ADN, IMDG, IATA

II

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user**Hazard identification number (Kemler code):**

Warning: Corrosive substances.

EMS Number:

80

Stowage Category

F-A,S-B

Stowage Code

B

SW2 Clear of living quarters.

14.7 Transport in bulk according to Annex II of Marpol and the**IBC Code**

Not applicable.

Transport/Additional information:

ADR/RID/ADN

Limited quantities (LQ)

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

Transport category

2

Tunnel restriction code

E

IMDG**Limited quantities (LQ)**

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 5

Revision: 17.12.2021

Trade name: LiTFSI : PYR13FSI 1:9 (mol.)

(Contd. of page 6)

UN "Model Regulation":

UN 1760 CORROSIVE LIQUID, N.O.S. (LITHIUM BIS(TRIFLUOROMETHYLSULFONYL)IMIDE), 8, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



GHS05

GHS07

Signal word Danger

Hazard-determining components of labelling:

N-Propyl-N-methylpyrrolidinium bis(fluorosulfonyl)imide

lithium bis(trifluoromethylsulfonyl)imide

Hazard statements

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

15.2 Chemical safety assessment: For this product, no chemical safety assessment has been performed.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

For research and development use only.

Relevant phrases

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H373 May cause damage to organs through prolonged or repeated exposure.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS: Regulatory affairs department

Contact:

Email: hse@solvionic.com

Phone number: +33 (0)5.34.63.35.35

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 17.12.2021

Version number 5

Revision: 17.12.2021

Trade name: LiTFSI : PYR13FSI 1:9 (mol.)

(Contd. of page 7)

PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

UE