

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 16.12.2021

Version number 2

Revision: 16.12.2021

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name:** N,N-Diethyl-N-(2-hydroxyethyl)ammonium TFSI : PMMA 60:40 (wt.),50wt% in butanone**Article number:** EM002**1.2 Relevant identified uses of the substance or mixture and uses advised against** No other important information available.- **Sector of Use** SU24 Scientific research and development- **Product category** PC21 Laboratory chemicals**Application of the substance / the mixture** This product is intended for the exclusive use of Research and Development**1.3 Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Solvionic SA

11 chemin des Silos

31100 TOULOUSE

FRANCE

T: +33 (0).32.26.20.20

@: contact@solvionic.com

**Further information obtainable from:** Department of Regulatory affairs**1.4 Emergency telephone number:**

- United Kingdom: Guy's &amp; St Thomas' Poisons Unit Medical Toxicology Unit, Guy's &amp; St Thomas' Hospital Trust, +44 20 7188 7188.

- Ireland: National Poisons Information Centre Beaumont Hospital, +353 1 809 2566 (Healthcare professionals24/7), +353 1 809 2166 (public, 8am - 10pm, 7/7).

- France ORFILA (INRS): +33 (0)1.45.42.59.59.

- Belgique, Belgie/Belgium: Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid

Rue Bruyn 1 - 1120 Bruxelles/Brussel. Toutes les questions urgentes concernant une intoxication: 070 245 245 (gratuit, 24/7), si pas accessible 02 264 96 30 (tarif normal). Alle dringende vragen over vergiftigen: 070 245 245 (gratis, 24/7), of indien onbereikbaar tel. 02 264 96 30 (normaal tarief).

- Sverige/ Sweden: Giftinformationscentralen Box 60 500 : 112 – begär Giftinformation ,+46 10 456 6700 (Från utlandet)

- Ελλάδα / Greece: Poisons Information Centre Children's Hospital P&amp;A Kyriakou, +30 21 07 79 37 77.

- Italia/Italy: Centro Antiveleni di Roma CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica Università Cattolica del Sacro Cuore, +39 06 305 4343.

- España/ Spain: Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Madrid, +34 91 562 04 20 (solo emergencias toxicológicas), Información en español (24h/365 días).

- Nederland/ Netherlands (NVIC): Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigen, +31 (0)88 755 8000.

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H336 May cause drowsiness or dizziness.

Aquatic Chronic 4 H413 May cause long lasting harmful effects to aquatic life.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.**Hazard pictograms**

GHS02

GHS07

**Signal word** Danger**Hazard-determining components of labelling:**

Poly(methyl methacrylate)

butanone

**Hazard statements**

H225 Highly flammable liquid and vapour.

(Contd. on page 2)

UE

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 16.12.2021

Version number 2

Revision: 16.12.2021

**Trade name:** N,N-Diethyl-N-(2-hydroxyethyl)ammonium TFSI : PMMA 60:40 (wt.),50wt% in butanone

(Contd. of page 1)

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H317 May cause an allergic skin reaction.  
 H336 May cause drowsiness or dizziness.  
 H413 May cause long lasting harmful effects to aquatic life.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P241 Use explosion-proof [electrical/ventilating/lighting] equipment.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**2.3 Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Chemical characterisation: Mixtures****- Description:**

Mixture of substances listed below with nonhazardous additions.  
 Mixture: consisting of the following components.

**- Dangerous components:**

	N,N-diethyl-N-(2-hydroxyethyl)ammonium bis(trifluoromethanesulfonyl)imide Skin Irrit. 2, H315; Eye Irrit. 2, H319	>40–≤60%
CAS: 78-93-3 EINECS: 201-159-0 Index number: 606-002-00-3	butanone; methyl ethyl ketone; ethyl methyl ketone; 2-Butanone; Butan-2-one; MEK Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336	>25–≤40%
CAS: 9011-14-7 EC number: 618-466-4	Poly(methyl methacrylate) Skin Sens. 1, H317; Aquatic Chronic 4, H413	>25–≤40%

**- Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**

**- General information:** Immediately remove any clothing soiled by the product.

**. After inhalation:**

Supply fresh air and to be sure call for a doctor.  
 In case of unconsciousness place patient stably in side position for transportation.

**. After skin contact:** Immediately wash with water and soap and rinse thoroughly.

**. After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

**. After swallowing:** Call for a doctor immediately.

**4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

**4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

**5.1 Extinguishing media**

**. Suitable extinguishing agents:** CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

**. For safety reasons unsuitable extinguishing agents:** Water with full jet

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

**5.3 Advice for firefighters**

**. Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Use individual protective gear.

**6.2 Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 16.12.2021

Version number 2

Revision: 16.12.2021

**Trade name:** N,N-Diethyl-N-(2-hydroxyethyl)ammonium TFSI : PMMA 60:40 (wt.),50wt% in butanone

(Contd. of page 2)

Do not allow to enter sewers/ surface or ground water.

**6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

**6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**. Information about fire - and explosion protection:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**7.2 Conditions for safe storage, including any incompatibilities**

**. Storage:**

**Requirements to be met by storerooms and receptacles:** Store in a cool location.

**Information about storage in one common storage facility:** Not required.

**Further information about storage conditions:**

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

**7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

**8.1 Control parameters**

**Additional information about design of technical facilities:** No further data; see item 7.

**- Ingredients with limit values that require monitoring at the workplace:**

**CAS: 78-93-3 butanone**

IOELV (EU)	Short-term value: 900 mg/m <sup>3</sup> , 300 ppm Long-term value: 600 mg/m <sup>3</sup> , 200 ppm
LEP (Spain)	Short-term value: 900 mg/m <sup>3</sup> , 300 ppm Long-term value: 600 mg/m <sup>3</sup> , 200 ppm VLB, VLI
WEL (Great Britain)	Short-term value: 899 mg/m <sup>3</sup> , 300 ppm Long-term value: 600 mg/m <sup>3</sup> , 200 ppm Sk, BMGV
OEL (Ireland)	Short-term value: 900 mg/m <sup>3</sup> , 300 ppm Long-term value: 600 mg/m <sup>3</sup> , 200 ppm Sk, IOELV
AG (Norway)	Long-term value: 220 mg/m <sup>3</sup> , 75 ppm E
WGW (Netherland)	Short-term value: 900 mg/m <sup>3</sup> , 300 ppm Long-term value: 590 mg/m <sup>3</sup> , 200 ppm
OEL (Sweden)	Short-term value: 900 mg/m <sup>3</sup> , 300 ppm Long-term value: 150 mg/m <sup>3</sup> , 50 ppm
HTP (Finland)	Short-term value: 300 mg/m <sup>3</sup> , 100 ppm Long-term value: 60 mg/m <sup>3</sup> , 20 ppm iho

**Ingredients with biological limit values:**

**CAS: 78-93-3 butanone**

VLB (Spain)	2 mg/l Muestra: orina Momento de Muestero: Final de la jornada laboral Indicador Biológico: Metiletacetona
BMGV (Great Britain)	70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one

**. Additional information:** The lists valid during the making were used as basis.

(Contd. on page 4)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2021

Version number 2

Revision: 16.12.2021

**Trade name:** N,N-Diethyl-N-(2-hydroxyethyl)ammonium TFSI : PMMA 60:40 (wt.),50wt% in butanone

(Contd. of page 3)

**8.2 Exposure controls****- Personal protective equipment:****. General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

**. Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

**. Protection of hands:**

Protective gloves

Neoprene gloves

To minimise the wetness in the glove due to perspiration changing of gloves during a shift is required.

**Material of gloves** Neoprene gloves**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**. Eye protection:**

Tightly sealed goggles

**. Body protection:** Use protective suit.

## SECTION 9: Physical and chemical properties

**9.1 Information on basic physical and chemical properties****- General Information****. Appearance:**

<b>Form:</b>	Viscous liquid
<b>Color:</b>	Colorless to yellow
<b>. Odor:</b>	Not determined.
<b>. Odor threshold:</b>	Not determined.
<b>- pH-value:</b>	Not determined

**- Change in condition**

<b>. Melting point/freezing point:</b>	Undetermined.
<b>. Initial boiling point and boiling range:</b>	79–80,5 °C
<b>- Flash point:</b>	20 °C
<b>- Flammability (solid, gas):</b>	Not applicable.
<b>. Ignition temperature:</b>	514 °C
<b>. Decomposition temperature:</b>	Not determined.
<b>- Auto-ignition temperature:</b>	Product is not selfigniting.
<b>- Explosive properties:</b>	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
<b>- Explosion limits:</b>	
<b>. Lower:</b>	1,8 Vol %
<b>. Upper:</b>	11,5 Vol %
<b>- Vapour pressure at 20 °C:</b>	105 hPa

<b>- Density at 20 °C:</b>	1,175 g/cm <sup>3</sup>
<b>. Bulk density:</b>	1175 kg/m <sup>3</sup>
<b>. Relative density</b>	Not determined.
<b>. Vapour density</b>	Not determined.
<b>. Evaporation rate</b>	Not determined.

**- Solubility in / Miscibility with**

<b>. water:</b>	Not miscible or difficult to mix.
<b>- Partition coefficient: n-octanol/water:</b>	Not determined.
<b>- Viscosity:</b>	
<b>. Dynamic:</b>	Not determined.
<b>. Kinematic:</b>	Not determined.
<b>- Solvent content:</b>	
<b>. Organic solvents:</b>	32,0 %
<b>. VOC (EC)</b>	32,00 %

**9.2 Other information**

No further relevant information available.

UE

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 16.12.2021

Version number 2

Revision: 16.12.2021

**Trade name:** N,N-Diethyl-N-(2-hydroxyethyl)ammonium TFSI : PMMA 60:40 (wt.),50wt% in butanone

(Contd. of page 4)

### SECTION 10: Stability and reactivity

**10.1 Reactivity** No further relevant information available.

**10.2 Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**10.3 Possibility of hazardous reactions** No dangerous reactions known.

**10.4 Conditions to avoid** No further relevant information available.

**10.5 Incompatible materials:** Strong oxidizer and strong base.

**10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

**11.1 Information on toxicological effects**

**Acute toxicity** Based on available data, the classification criteria are not met.

**LD/LC50 values relevant for classification:**

**CAS: 78-93-3 butanone**

Oral	LD50	3300 mg/kg (rat)
Dermal	LD50	5000 mg/kg (rabbit)

**- Primary irritant effect:**

**. Skin corrosion/irritation**

Causes skin irritation.

**. Serious eye damage/irritation**

Causes serious eye irritation.

**- Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**Additional toxicological information:**

**- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

**. Germ cell mutagenicity** Based on available data, the classification criteria are not met.

**. Carcinogenicity** Based on available data, the classification criteria are not met.

**. Reproductive toxicity** Based on available data, the classification criteria are not met.

**- Specific target organ toxicity - single exposure**

May cause drowsiness or dizziness.

**- Specific target organ toxicity - repeated exposure** Based on available data, the classification criteria are not met.

**- Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

**12.1 Toxicity**

**Aquatic toxicity:** No further relevant information available.

**12.2 Persistence and degradability** No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

**Additional ecological information:**

**General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

**12.5 Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

**13.1 Waste treatment methods**

**Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.

**European waste catalogue**

HP3	Flammable
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2021

Version number 2

Revision: 16.12.2021

**Trade name:** N,N-Diethyl-N-(2-hydroxyethyl)ammonium TFSI : PMMA 60:40 (wt.),50wt% in butanone

(Contd. of page 5)

HP13 Sensitising

HP14 Ecotoxic

**Uncleaned packaging:**. **Recommendation:** Disposal must be made according to official regulations.

## SECTION 14: Transport information

**14.1 UN-Number**

ADR/RID/ADN, IMDG, IATA

UN1193

**14.2 UN proper shipping name**

ADR/RID/ADN

UN1193 ETHYL METHYL KETONE (METHYL ETHYL KETONE) solution

IMDG, IATA

ETHYL METHYL KETONE (METHYL ETHYL KETONE) solution

**14.3 Transport hazard class(es)**

ADR/RID/ADN, IMDG, IATA



Class

3 Flammable liquids.

Label

3

**14.4 Packing group**

ADR/RID/ADN, IMDG, IATA

II

**14.5 Environmental hazards:**

Not applicable.

**14.6 Special precautions for user**

Hazard identification number (Kemler code):

Warning: Flammable liquids.

EMS Number:

33

Stowage Category

F-E,S-D

B

**14.7 Transport in bulk according to Annex II of Marpol and the**

IBC Code

Not applicable.

**Transport/Additional information:**

ADR/RID/ADN

Limited quantities (LQ)

Excepted quantities (EQ)

1L

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

Transport category

2

Tunnel restriction code

D/E

IMDG

Limited quantities (LQ)

1L

Excepted quantities (EQ)

Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation":

UN 1193 ETHYL METHYL KETONE (METHYL ETHYL KETONE) SOLUTION, 3, II

## SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

**Hazard pictograms**

GHS02

GHS07

Signal word Danger

**Hazard-determining components of labelling:**

Poly(methyl methacrylate)

butanone

**Hazard statements**

H225 Highly flammable liquid and vapour.

(Contd. on page 7)

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.12.2021

Version number 2

Revision: 16.12.2021

**Trade name: N,N-Diethyl-N-(2-hydroxyethyl)ammonium TFSI : PMMA 60:40 (wt.),50wt% in butanone**

(Contd. of page 6)

H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H317 May cause an allergic skin reaction.  
 H336 May cause drowsiness or dizziness.  
 H413 May cause long lasting harmful effects to aquatic life.

**Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P241 Use explosion-proof [electrical/ventilating/lighting] equipment.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P405 Store locked up.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Directive 2012/18/EU**

**Named dangerous substances - ANNEX I** None of the ingredients is listed.

**Seveso category** P5c FLAMMABLE LIQUIDS

**Qualifying quantity (tonnes) for the application of lower-tier requirements** 5000 t

**Qualifying quantity (tonnes) for the application of upper-tier requirements** 50000 t

**REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

**DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

**15.2 Chemical safety assessment:** For this product, no chemical safety assessment has been performed.

## SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

For research and development use only.

**Relevant phrases**

H225 Highly flammable liquid and vapour.  
 H315 Causes skin irritation.  
 H317 May cause an allergic skin reaction.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.  
 H413 May cause long lasting harmful effects to aquatic life.

**Department issuing SDS:** Regulatory affairs department

**Contact:**

Email: hse@solvionic.com

Phone number: +33 (0)5.34.63.35.35

**Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 Flam. Liq. 2: Flammable liquids – Category 2  
 Skin Irrit. 2: Skin corrosion/irritation – Category 2  
 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2  
 Skin Sens. 1: Skin sensitisation – Category 1  
 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3  
 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4

UE