

Page 1/8

# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 18.06.2023

Version number 9 (replaces version 8)

Revision: 30.01.2023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifier**

Trade name: lithium bis(trifluoromethylsulfonyl)imide Article number: S001 CAS Number: 90076-65-6 CE Number: 415-300-0 Index number: 616-124-00-9

**<u>1.2 Relevant identified uses of the substance or mixture and uses advised against</u> No other important information available.** 

- Sector of Use SU24 Scientific research and development
- Product category PC21 Laboratory chemicals

Application of the substance / the mixture This product is intended for the exclusive use of Research and Development.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Solvionic SA 11 chemin des Silos 31100 TOULOUSE FRANCE ⊘ : +33 (0).32.26.20.20 ≅: contact@solvionic.com

Further information obtainable from: Department of Regulatory affairs

#### **1.4 Emergency telephone number:**

- United Kingdom: Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust, +44 20 7188 7188.

- Ireland: National Poisons Information Centre Beaumont Hospital, +353 1 809 2566 (Healthcare professionals24/7), +353 1 809 2166 (public, 8am - 10pm, 7/7).

- France ORFILA (INRS): +33 (0)1.45.42.59.59.

- Belgique, Belgie/Belgium: Centre Anti-Poisons/Antigifcentrum c/o Hôpital Central de la Base - Reine Astrid

Rue Bruyn 1 - 1120 Bruxelles/Brussel. Toutes les questions urgentes concernant une intoxication: 070 245 245 (gratuit, 24/7), si pas accessible 02 264 96 30 (tarif normal). Alle dringende vragen over vergiftigingen: 070 245 245 (gratis, 24/7), of indien onbereikbaar tel. 02 264 96 30 (normaal tarief).

- Sverige/ Sweden: GiftinformationscentralenBox 60 500 : 112 - begär Giftinformation ,+46 10 456 6700 (Från utlandet)

- Ελλάδα / Greece: Poisons Information Centre Children's Hospital P&A Kyriakou, +30 21 07 79 37 77.

- Italia/Italy: Centro Antiveleni di Roma CAV Policlinico "A. Gemelli", Dipartimento di Tossicologia Clinica Universita Cattolica del Sacro Cuore, +39 06 305 4343.

- España/ Spain: Servicio de Información Toxicológica Instituto Nacional de Toxicología y Ciencias Forenses, Departamento de Madrid, +34 91 562 04 20 (solo emergencias toxicológicas), Información en español (24h/365 días).

- Nederland/ Netherlands (NVIC): Uitsluitend bestemd om professionele hulpverleners te informeren bij acute vergiftigingen, +31 (0)88 755 8000.

- Norge/ Norway: Giftinformasjonen: +47 22 59 13 00.

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008

Acute Tox. 3 H301 Toxic if swallowed.

Acute Tox. 3 H311 Toxic in contact with skin.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

STOT RE 2 H373 May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure. Route of exposure: Oral.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.

#### Hazard pictograms



Version number 9 (replaces version 8)

Revision: 30.01.2023

(Contd. of page 1)

# Trade name: lithium bis(trifluoromethylsulfonyl)imide

# Signal word Danger

#### Hazard statements

H301+H311 Toxic if swallowed or in contact with skin.

- H314 Causes severe skin burns and eye damage.
- H373 May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure. Route of exposure: Oral.
- H412 Harmful to aquatic life with long lasting effects.

#### **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
- rinsing. P405 Store locked up.
- P501

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### 2.3 Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable.

vPvB: Not applicable.

### SECTION 3: Composition/information on ingredients

# 3.1 Substances

- CAS No. / Description CAS: 90076-65-6 lithium bis(trifluoromethylsulfonyl)imide; 1,1,1-trifluoro-N-[(trifluoromethyl)sulfonyl]methanesulfonamide lithium salt - Identification number(s) CE Number: 415-300-0 Index number: 616-124-00-9 Molecular formula: C2 H F6 N O4 S2 Li Molar mass: 287,09 g/mol

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### - General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- Artificial respiration in the case of irregular breathing or respiratory arrest.
- . After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- . After skin contact: Immediately wash with water and soap and rinse thoroughly.
- . After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- . After swallowing:

Do not induce vomiting, seek urgent medical attention.

Call for a doctor immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

. Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

. Protective equipment: No special measures required.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Use individual protective gear.

#### 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

Version number 9 (replaces version 8)

# Trade name: lithium bis(trifluoromethylsulfonyl)imide

6.3 Methods and material for containment and cleaning up:

Use neutralising agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** Thorough dedusting.

. Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

. Storage:

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep container tightly sealed. Maximum storage temperature: Store at room temperature, not exceeding 35°C.

7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

- Ingredients with limit values that require monitoring at the workplace:

#### CAS: 90076-65-6 lithium bis(trifluoromethylsulfonyl)imide

OEL (Sweden) Short-term value: 0,02 mg/m<sup>3</sup>

som Li; inhalerbar fraktion

. Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

**Appropriate engineering controls** No further data; see section 7.

Individual protection measures, such as personal protective equipment

. General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

# . Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection



Protective gloves

The protective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374. **Material of gloves** The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Butyl rubber, BR Fluorocarbon rubber (Viton) Nitrile rubber, NBR Chloroprene rubber (Neopren) **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. **Eye/face protection** 



Tightly sealed goggles

. Body protection: Use protective suit.

(Contd. on page 4)

(Contd. of page 2)

Revision: 30.01.2023

# Version number 9 (replaces version 8)

Revision: 30.01.2023

# Trade name: lithium bis(trifluoromethylsulfonyl)imide

(Contd. of page 3)

SECTION 9: Physical and chemical properties	
9.1 Information on basic physical and chemical properties	
- General Information	
Physical state	Solid
Color:	White
. Odor:	Not determined.
. Odor threshold:	Not determined.
. Melting point/freezing point:	233 °C
Boiling point or initial boiling point and boiling range	Undetermined.
Flammability	Product is not flammable.
Lower and upper explosion limit	
. Lower:	Not determined.
. Upper:	Not determined.
- Flash point:	Not applicable.
. Decomposition temperature:	Not determined.
pH	8,02
. at 25°C:	0,02
- Viscosity:	
- viscosity: Kinematic viscosity	Not applicable.
	Not applicable.
Viscosity at 25 °C (77 °F)	Not applicable
. Dynamic: Solubility	Not applicable.
Solubility	Not determined
. water: Destition coefficient n extend/water (log value)	Not determined.
Partition coefficient n-octanol/water (log value)	Not determined.
- Vapour pressure:	Not applicable.
Density and/or relative density	0.15 / 2
- Density at 20 °C:	2,15 g/cm <sup>3</sup>
. Relative density	Not determined.
. Vapour density	Not applicable.
Particle characteristics	
See section 3.	
9.2 Other information	
. Appearance:	
Form:	Crystalline powder
Important information on protection of health and environment	
and on safety.	
- Auto-ignition temperature:	Not determined.
- Explosive properties:	Product does not present an explosion hazard.
- Change in condition	reader deer not present an empresion marana
. Evaporation rate	Not applicable.
•	TT
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit flammable gases in contac	
with water	Void
Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
	Y UIU
	Void
Corrosive to metals Desensitised explosives	Void Void

# **SECTION 10: Stability and reactivity**

**<u>10.1 Reactivity</u>** No further relevant information available.

10.2 Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: Strong oxidizer and strong acid and base.

Version number 9 (replaces version 8)

<u>Trade name:</u> lithium bis(trifluoromethylsulfonyl)imide

Revision: 30.01.2023

#### (Contd. of page 4)

10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Toxic if swallowed or in contact with skin. LD/LC50 values relevant for classification:

Oral LD50 100 mg/kg (ATE)

Dermal LD50 300 mg/kg (ATE)

. Skin corrosion/irritation Causes severe skin burns and eye damage.

• Skin corrossion relation Causes severe skin ours and eye damage.

- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

• Germ cell mutagenicity Based on available data, the classification criteria are not met.

. Carcinogenicity Based on available data, the classification criteria are not met.

. Reproductive toxicity Based on available data, the classification criteria are not met.

- Specific target organ toxicity - single exposure Based on available data, the classification criteria are not met.

#### - Specific target organ toxicity - repeated exposure

May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure. Route of exposure: Oral.

- Aspiration hazard Based on available data, the classification criteria are not met.

#### **<u>11.2 Information on other hazards</u>**

Endocrine disrupting properties Substance is not listed.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability No further relevant information available.

**12.3 Bioaccumulative potential** No further relevant information available.

**12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.

#### 12.7 Other adverse effects

Remark: Harmful to fish

# Additional ecological information:

General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach sewage system.

European waste catalogue

HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP6	Acute Toxicity

HP8 Corrosive

# HP14 Ecotoxic

#### Uncleaned packaging:

. Recommendation: Disposal must be made according to official regulations.

### **SECTION 14: Transport information**

14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA

UN2923

(Contd. on page 6)

Version number 9 (replaces version 8)

Revision: 30.01.2023

# <u>Trade name:</u> lithium bis(trifluoromethylsulfonyl)imide

	(Contd. of page
<u>14.2 UN proper shipping name</u> ADR/RID/ADN IMDG, IATA	UN2923 CORROSIVE SOLID, TOXIC, N.O.S. (lithium bis(trifluoromethylsulfonyl)imide) CORROSIVE SOLID, TOXIC, N.O.S. (lithium bis(trifluoromethylsulfonyl)imide)
14.3 Transport hazard class(es)	
ADR/RID/ADN	
Class Label IMDG	8 8+6.1
Class Label IATA	8 8/6.1
	o
Class Label	8 8 (6.1)
<u>14.4 Packing group</u> ADR/RID/ADN, IMDG, IATA	Ш
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Corrosive substances.
Hazard identification number (Kemler code):	86
EMS Number:	F-A,S-B
Stowage Category Stowage Code	B SW2 Clear of living quarters.
14.7 Maritime transport in bulk according to IMO inst	
Transport/Additional information:	The appreade.
ADR/RID/ADN	
Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
Transport category	2
Tunnel restriction code	Ē
IMDG	1 ka
Limited quantities (LQ) Excepted quantities (EQ)	l kg Code: E2
Excepted dumning (EQ)	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
UN "Model Regulation":	UN 2923 CORROSIVE SOLID, TOXIC, N.O.S. (LITHIUM BIS(TRIFLUOROMETHYLSULFONYL)IMIDE), 8 (6.1), II

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms



(Contd. on page 7)

<sup>- &#</sup>x27;) - UE

Version number 9 (replaces version 8)

Revision: 30.01.2023

# Trade name: lithium bis(trifluoromethylsulfonyl)imide

(Contd. of page 6)
Signal word Danger
Hazard statements
H301+H311 Toxic if swallowed or in contact with skin.
H314 Causes severe skin burns and eye damage.
H373 May cause damage to the central nervous system and the peripheral nervous system through prolonged or repeated exposure. Route of exposure: Oral.
H412 Harmful to aquatic life with long lasting effects.
Precautionary statements
P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
rinsing.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
Directive 2012/18/EU
Named dangerous substances - ANNEX I Substance is not listed.
DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex
П
Substance is not listed.
REGULATION (EU) 2019/1148
Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
Substance is not listed.
Annex II - REPORTABLE EXPLOSIVES PRECURSORS Substance is not listed.
Regulation (EC) No 273/2004 on drug precursors Substance is not listed.
Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug
precursors
Substance is not listed.
15.2 Chemical safety assessment:
For this product, no chemical safety assessment has been performed.
A Chemical Safety Assessment has been carried out.

### **SECTION 16: Other information**

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

For research and development use only. Department issuing SDS: Regulatory affairs department Contact: Email: hse@solvionic.com Phone number: +33 (0)5.34.63.35.35 Date of previous version: 20.07.2022 Version number of previous version: 8 Abbreviations and acronyms: ADR: Accord relatif at transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods (Código Marítimo Internacional de Mercancías Peligrosas). IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

(Contd. on page 8)

UF

Version number 9 (replaces version 8)

Revision: 30.01.2023

# <u>Trade name:</u> lithium bis(trifluoromethylsulfonyl)imide

(Contd. of page 7)

Anne	ex: Exposure scenario
	title of the exposure scenario
	of Use SU24 Scientific research and development
	ct category PC21 Laboratory chemicals
	ption of the activities / processes covered in the Exposure Scenario See section 1 of the annex to the Safety Data Sheet.
	tions of use
	ion and frequency 5 workdays/week.
	al parameters
Physic	al state Solid
Conce	ntration of the substance in the mixture Raw material.
	amount per time or activity Smaller than 100 g per application.
Other	operational conditions
Other	operational conditions affecting environmental exposure No special measures required.
Other	operational conditions affecting worker exposure
Avoid	contact with eyes.
Avoid	contact with the skin.
Other	operational conditions affecting consumer exposure No special measures required.
Other	operational conditions affecting consumer exposure during the use of the product Not applicable.
Risk n	nanagement measures
Work	er protection
Organ	isational protective measures No special measures required.
Techn	ical protective measures Ensure that suitable extractors are available on processing machines
	nal protective measures
Do no	inhale dust / smoke / mist.
Avoid	contact with the skin.
Avoid	contact with the eyes.
	y sealed goggles
	tive gloves
	otective gloves to be used must comply with the specifications of EC Directive 89/686/EEC and the related standard EN374.
	ires for consumer protection Ensure adequate labelling.
	onmental protection measures
Water	Generally, prior to the introduction of wastewater into wastewater treatment plants a neutralisation is required.
	sal measures Ensure that waste is collected and contained.
	al procedures Must not be disposed together with household garbage. Do not allow product to reach sewage system.
	type Partially emptied and uncleaned packaging
	ure estimation
	mer Not relevant for this Exposure Scenario.
	nce for downstream users No further relevant information available.